

Paphiopedilum Species Groups

Class 27 -

Brachypetalum &
Parvisepalum

P. x ang-thong

(godefroyae, niveum
var. ang-thong) (b)

P. x ang-thong var.
album) (b)

P. angustatum (p)

P. armeniacum (p)

P. armeniacum fma.
markii(p)

P. armeniacum var.
parviflorum(p)

P. armeniacum var.
undulatum(p)

P. bellatulum (b)

P. bellatulum fma.
album(b)

P. concolor (b)

P. concolor forma
album(b)

P. concolor forma
sulphurinum(b)

P. concolor subsp.
hennisianum(b)

P. concolor subsp.
regnieri(b)

P. concolor var.
album(b)

P. concolor var.
chlorophyllum(b)

P. concolor var.
concolor(b)

P. concolor var.
dalhuaense(b)

P. concolor var.
immaculatum(b)

P. concolor
var.longipetalum (b)

P. concolor var.
striatum(b)

P. concolor var.
trungkienii(b)

P. delenatii (p)

P. delenatii fma.
albidum(p)

P. delenatii fma.
albinum(p)

P. delenatii fam.
lutescens(p)

P. delenatii forma
alba(p)

P. delenatii forma
album(p)

P. delenatii forma
vinicolor(p)

P. delenatii var.
dundle(p)

P. emersonii (p)

P. emersonii fma.
album(p)

P. emersonii fma.
huonglaniae(p)

P. emersonii fma.
luteum(p)

P. emersonii var.
angustipetalum(p)

P. emersonii var.
guangxiensis(p)

P. emersonii var.
kwang-nanensis(p)

P. globulosum (p)

P. godefroyae (b)

P. godefroyae fma.
album(b)

P. godefroyae fma ang
thong(b)

P. godefroyae fma.
leucochilum(b)

P. godefroyae fma.
leucochilum white
form(b)

P. godefroyae var.
angthong(b)

P. godefroyae var.
leucochilum forma
album(b)

P. hangianum (p)

P. hangianum fma.
album(p)

P. hiepii (p)

P. hiepii var. album(p)

P. hilmari (p)

P. hilmarii (p)

P. honglaniae (p)

P. huonglanae (p)

P. jackii (p)

P. josiana (b)

P. keyesianum (b)

P. leucochilum (b)

P. leucochilum fma.
album(b)

P. leucochilum var.
hemixanthinum(b)

P. malipoense (p)

P. malipoense fma.
album(p)

P. malipoense fma.
concolor(p)

P. malipoense forma
tonnianum(p)

P. malipoense var.
hiepii(p)

P. malipoense var.
jackii(p)

P. malipoense var.
jackii fma. virescens(p)

Paphiopedilum Species Groups

- P. markii* (p)
P. micranthum (p)
P. micranthum fma.
albo-flavum(p)
P. micranthum fma.
album(p)
P. micranthum fma.
eburneum(p)
P. micranthum var.
eburneum (p)
P. micranthum var.
glanzeanum(p)
P. micranthum var.
oblatum(p)
P. mirabile (p)
P. myanmaricum (b)
P. niveum (b)
P. niveum fma.
album(b)
P. sangchii (p)
P. singchii (p)
P. thaianum (b)
P. trungkienii (b)
P. vietnamense (p)
P. vietnamense fma.
album(p)
P. wenshanense (b)
- Class 28 – Insigne and Barbatum**
- P. acmodontum* (b)
P. aestivum (b)
P. affine (i)
P. agusii (b)
P. agusii fma.
alboviride album(b)
P. amabile (b)
P. amabilis (b)
P. amboinensis (b)
P. ambonensis (b)
P. angustifolium (b)
P. appletonium (b)
P. appletonium fma.
album (b)
P. appletonium fma.
aureum (b)
P. appletonium fma.
immaculatum (b)
P. appletonium var.
hainanense (b)
P. appletonium var.
poyntzianum (b)
P. aranianum,
arainianum (b)
P. areeanum (i)
P. x areeanum (i)
P. argus (b)
P. ayubianum (b)
P. baccanum (b)
P. barbatum (b)
P. barbatum var.
nigritum (b)
P. barbigerum (i)
P. barbigerum fma.
album (i)
P. barbigerum fma.
aspersum (i)
- P. barbigerum* fma.
aureum (i)
P. barbigerum fma.
chlorophyllum (i)
P. barbigerum var.
aureum (i)
P. barbigerum var.
coccineum (i)
P. barbigerum var.
lockianum (i)
P. barbigerum
var.*sulivongii* (i)
P. birkii (b)
P. bougainvilleanum (b)
P. bougainvilleanum
forma album (b)
P. bougainvilleanum
var. *saskianum* (b)
P. bougainvillianum
var. *saskianum* (b)
P. boxallii (i)
P. boxallii f. *atratum* (i)
P. braemii (b)
P. brevilabium (b)
P. bullenianum (b)
P. bullenianum var.
celebesense (b)
P. bullenianum var.
johorensense (b)
P. bungebelangii (b)
P. burbidgei (b)
P. burmanicum (b)
P. callosum (b)
P. callosum f. *album* (b)
P. callosum fma.
vinicolor (b)
P. callosum fma.
viridiflorum (b)
P. callosum var.
angustisepala (b)

Paphiopedilum Species Groups

- P. callosum* var.
potentianum(b)
P. callosum var.
sublaeve (b)
P. callosum var.
sublaeve f. *album* (b)
P. callosum var.
viniferum (b)
P. callosum var.
warnerianum (b)
P. canhii (b)
P. canhii var.
funingense (b)
P. caobangense (i)
P. celebesense (b)
P. celebesensis (b)
P. ceramensis (b)
P. cerveranum (b)
P. cerveranum fma.
viride (b)
P. chaoi (i)
P. charlesworthii (i)
P. charlesworthii fma.
album (i)
P. charlesworthii fma.
sandowiae (i)
P. charlesworthii fma.
sandowiae *album* (i)
P. chiwuanum (i)
P. christensonianum (i)
P. ciliolare (b)
P. ciliolare
semialbum(b)
P. coccineum (i)
P. cornuatum (i)
P. crossii (b)
P. crossii fma.
viniferum (b)
P. crossii fma.
viridiflorum (b)
P. crossii var.
potentianum (b)
P. crossii fma.
sublaeve (b)
P. curtisii (b)
P. curtisii fma.
sanderae (b)
P. daoense (i)
P. dayanum (b)
P. dayanum var.
petri (b)
P. delicatum (i)
P. denisii (b)
P. densissimum (i)
P. dexlerianum (b)
P. dilectum (i)
P. dixlerianum (b)
P. dollii (i)
P. druryi (i)
P. esquirolei (i)
P. esquirolei fma.
viride (i)
P. esquirolei forma
album (i)
P. esquirolei var.
chiwuanum (i)
P. exul (i)
P. exul fma. *album*(i)
P. exul fma. *aureum* (i)
P. fairieanum (i)
P. fairrieianum (i)
P. fairrieianum fma.
albescens (i)
P. fairrieianum fma.
album (i)
P. fairrieianum fma.
aureum (i)
P. fairrieianum fma.
bohlmannianum (i)
P. fairrieianum fma.
delicata (i)
P. fairrieianum var.
flavum (i)
P. fairrieianum var.
giganteum (i)
P. fairrieianum var.
nigrescens (i)
P. fowliei (b)
P. fowliei fma.
album (b)
P. fowliei fma.
christianae (b)
P. fowliei var.
sangianum (b)
P. gratrixianum (i)
P. gratrixianum var.
cangyuanense (i)
P. gratrixianum var.
christensonianum (i)
P. gratrixianum var.
daoense (i)
P. gratrixianum var.
gratrixianum (i)
P. gratrixianum var.
guangdongense (i)
P. guangdongense (i)
P. hainanense (b)
P. hainanensis (b)
P. helenae (i)
P. helenae fma.
album (i)
P. helenae fma.
aureum (i)
P. helenae forma
delicatum (i)
P. helenae var.
peschutteri (i)
P. helenae var.
sanderae (i)

Paphiopedilum Species Groups

- P. hennisianum* (b)
P. hennisianum fma.
christiansenii (b)
P. hennisianum forma
album (b)
P. hennisianum var.
christiansenii (b)
P. henryanum (i)
P. henryanum dark
form (i)
P. henryanum fma.
albinisticform (i)
P. henryanum fma.
album (i)
P. henryanum fma.
chaoi (i)
*P. henryanum*fma.
christae (i)
P. henryanum nearly
albinistic form (i)
P. herrmannii (i)
P. hirsutissimum (i)
P. hirsutissimum f.
albo-viride (i)
P. hirsutissimum var.
album (i)
P. hirsutissimum var.
chiwuanum (i)
P. hirsutissimum var.
esquirolii (i)
P. hirsutissimum var.
esquirolei fma.
album (i)
P. hirsutissimum var.
esquirolei fma.
viride (i)
P. hookerae (b)
P. hookerae var.
volonteanum (b)
- P. hookerae* var.
volonteanum fma.
sandowii (b)
P. inamorii (b)
P. inomorii (b)
P. insigne (i)
P. insigne fma.
sanderae (i)
P. insigne fma.
sanderianum (i)
*P. insigne*var.
albomarginatum (i)
P. insigne var.
montanum (i)
P. insigne var.
sanderae (i)
P. javanicum (b)
P. javanicum fma.
album (b)
P. javanicum fma.
nymphenburgianum (b)
P. javanicum var.
virens (b)
P. johorensis (b)
P. johorensis (b)
P. lawrenceanum (b)
P. lawrenceanum fma.
hyeanum (b)
P. lawrenceanum var.
album (b)
P. lawrenceanum var.
trieuanum (b)
P. lawrenceanum var.
viride (b)
P. linii (b)
P. lunatum (b)
P. macfarlanei (i)
P. macranthum (i)
P. markianum (i)
P. mastersianum (b)
- P. mastersianum*
album (b)
P. mastersianum var.
mohrianum (b)
P. microchilum (b)
P. multifolium (b)
P. nataschae (b)
P. nigratum (b)
P. notatisepalum (i)
P. papilio-laoticus (i)
P. papuanum (b)
P. papuanum forma
alesejanum (b)
P. papuanum forma
alexejanum (b)
P. papuanum forma
alexejianum (b)
P. pardinum (b)
P. parnatatum (b)
P. petri (b)
P. potentianum (b)
P. puberlum (b)
P. puberulum (b)
P. purpurascens (b)
P. purpuratum (b)
P. purpuratum fma.
album (b)
P. purpuratum var.
hainanense (b)
P. qingyongii (b)
P. reflexum (b)
P. regnieri (b)
P. rhizomatosum (i)
P. robinsonianum (b)
P. robinsonianum var.
anitanum (b)
P. robinsonii (b)
P. robinsonii fma.
viride (b)
P. rohmanii (b)

Paphiopedilum Species Groups

- P. rungsuriyanum*
(section Laosianum)
P. saccopetalum (i)
P. sandyanum (b)
P. sangii (b)
P. sangii var.
ayubianum (b)
P. schmidtianum (b)
P. schoseri (b)
P. sinicum (b)
P. smaragdinum (i)
P. spicerianum (i)
P. spicerianum fma.
burkhardii (i)
P. spicerianum fma.
immaculatum (i)
P. sriwaniae (b)
P. stenolobum (i)
P. stenolomum (i)
P. sublaeve (b)
P. sugiyamanum (b)
P. sugiyamii (hort) (b)
P. sukhakulii (b)
P. sukhakulii fma.
aureum (b)
P. sukhakulii var.
album (b)
P. sulivongii (i)
P. superbiens (b)
P. superbiens forma
sanderae (b)
P. superbiens var.
curtisii (b)
P. superbiens var.
curtisii fma.
sanderae (b)
P. thailandense
(hort) (b)
P. tigrinum (i)
P. tigrinum f.
huberae (i)
P. tigrinum fma.
smarigdinum (i)
P. tonsum (b)
P. tonsum fma.
alboviride (b)
P. tonsum var.
braemii (b)
P. tonsum var.
superbum (b)
P. tortipetalum (b)
P. tortisepalum (b)
P. tranliemianum (i)
P. tranlienianum (i)
P. tranlienianum forma
alboviride (i)
P. tranlienianum forma
album (i)
P. tranlienianum var.
saxosum (i)
P. tridentatum (b)
P. urbanianum (b)
P. urbanianum fma.
alboviride (b)
P. usitae (b)
P. usitanum (b)
P. veitchianum (b)
P. vejvarutianum (i)
P. venustum (b)
P. venustum fma.
album (b)
P. venustum fma.
albescens (b)
P. venustum fma.
album (b)
P. venustum fma.
aureum (b)
P. venustum fma.
measuresianum (b)
P. venustum fma.
pardinum (b)
P. venustum var.
atratum (b)
P. venustum var.
bhutanensis(b)
P. venustum var.
bruneoviridis (b)
P. venustum var.
pynurslanum (b)
P. venustum var.
qingyongii (b)
P. venustum var.
rubrum (b)
P. venustum var.
teestanensis (b)
P. villosum (i)
P. villosum fma.
aureum (i)
P. villosum fma.
fuscroseum (i)
P. villosum fma.
measuresianum (i)
P. villosum var. *albo-*
marginatum (i)
P. villosum var.
annamense (i)
P. villosum var.
boxallii (i)
P. villosum var.
fuscroseum (i)
P. villosum var.
fuscoviride (i)
P. villosum var.
laichaunum (i)
P. villosum var.
villosum (i)
P. viniferum (b)
P. violascens (b)

Paphiopedilum Species Groups

P. violascens var.
bougainvilleanum (b)
P. violascens var.
gautierense (b)
P. violascens var.
saskianum (b)
P. virens (b)
P. volonteatum (b)
P. volonteatum fma.
sadowii (b)
P. wardii (b)
P. wardii fma. *alba* (b)
P. wardii fma.
alboviride (b)
P. wardii fma.
album (b)
P. wardii fma.
atrobrunneum (b)
P. wardii fma. *ying-xiangii* (b)
P. wardii var.
teestaensis (b)
P. wentworthianum (b)
P. wolterianum (b)
P. zieckianum (b)
P. zulhermanianum (b)

Class 29 - Polyantha
 (Coryopedilum,
 Pardalopetalum)
 (Multifloral - holding 2
 or more flowers open at
 the same time)

P. adductum (c)
P. adductum var.
anatum (c)
P. anatum (c)
P. ayubii (c)
P. bodegomensis (c)
P. bodegomii (c)
P. devogelii (c)
P. dianthum (p)
P. dianthum fma.
album (p)
P. dianthum var.
album (p)
P. elliotianum (c)
P. elliotianum (c)
P. fumi (c)
P. gardineri (c)
P. gigantefolium (p)
P. gigantifolium (p)
P. glanduliferum (c)
P. glanduliferum var.
album (c)
P. haynaldianum (p)
P. haynaldianum fma.
alboviride (p)
P. haynaldianum fma.
album (p)
P. haynaldianum var.
laure (p)
P. intaniae (c)
P. kolopakingii (c)
P. kolopakingii fma.
katherinae (c)

P. kolopakingii fma.
topperi (c)
P. laevigatum (c)
P. lowii (p)
P. lowii fma.
albescens (p)
P. lowii fma. *aurea* (p)
P. lowii fma.
aureum (p)
P. lowii fma. *flavum* (p)
P. lowii var.
latifolium (p)
P. lowii var. *lynniae* (p)
P. lowii var.
richardianum (p)
P. lynniae (p)
P. ooi (c)
P. parishii (p)
P. parishii var.
dianthum (p)
P. philippinense (c)
P. philippinense fma.
alboflavum (c)
P. philippinense fma.
album (c)
P. philippinense fma.
aureum (c)
P. philippinense fma.
semialbum (c)
P. philippinense var.
alboviride (c)
P. philippinense var.
compactum (c)
P. philippinense var.
laevigatum (c)
P. philippinense var.
palawanense (c)
P. philippinense var.
philippinense (c)

Paphiopedilum Species Groups

P. philippinense var.
roebelenii (c)
P. philippinense var.
roebelenii f. *album* (c)
P. platyphyllum (c)
P. praestans (c)
P. praestans var.
bicornutum (c)
P. quingyongii (c)
P. randsii (c)
P. richardianum (p)
P. roebbelenii (c)
P. roebbelenii fma.
alboflavum (c)
P. roebelenii (c)
P. rothschildianum (c)
P. rothschildianum
album (c)
P. sanderianum (c)
P. stonei (c)
P. stonei fma.
alboflavum (c)
P. stonei subsp.
strictopetalum (c)
P. stonei var. *album* (c)
P. stonei var.
cannartae (c)
P. stonei var.
latifolium (c)
P. stonei var.
platyphyllum (c)
P. stonei var.
platytaenium (c)
P. striatum (c)
P. supardii (c)
P. superbum (c)
P. topperi (c)
P. tretonense (c)
P. wilhelminae (c)
P. wilhelminiae (c)

Class 29a –
Cochlopetalum
(sequentially flowering)

P. chamberlainianum (c)
P. chamberlainianum var.
flavescens (c)
P. chamberlainianum var.
flavum (c)
P. chamberlainianum var.
kalinae (c)
P. chamberlainianum var.
latifolium (c)
P. chamberlainianum var.
liemiana (c)
P. flavescens (c)
P. flavium (c)
P. glaucophyllum (c)
P. glaucophyllum var.
moquetteanum (c)
P. glaucophyllum var.
moquetteanum forma
flavoviride (c)
P. kalinae (c)
P. liemianum (c)
P. moquetteanum (c)
P. moquetteanum fma.
flavoviride (c)
P. primulinum (c)
P. primulinum f.
album (c)
P. primulinum f.
aurea (c)
P. primulinum f.
aureum (c)
P. primulinum f.
flavum (c)
P. primulinum f.
purpurascens (c)

P. primulinum var.
flavescens (c)
P. victoria-mariae (c)
P. victoria-regina (c)
P. victoria-regina var.
kalinae (c)
P. yapianum (c)