

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
× areeanum	--	P1, P2, P3, P4, P8, W1	30-37	= barbigerum × villosum var. annamense
acmodontum	Barbata (Barbatum)	B2, B3, C, C1, H, K, K1, K2, K3 O1, P1, P2, P4, P5, P7, P8	28	
adductum	Coryopedilum - Polyantha	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	29	
adductum var. anitum	Coryopedilum – Polyantha	K2, K3, P5, P8, S1	29	
aestivum	Barbata (Barbatum)	B3, P8, T2, W1	28	= purpuratum
affine	Paphiopedilum (Insigne)	B3, K2, P5, P8, W1	28	= gratrixianum
x affine		B2, C, H, K, P1, P2	30-37	villosum x appletonianum
agusii	Barbata (Barbatum)	K3, O3, O5	28	New
agusii f. alboviride, album	Barbata (Barbatum)	K3	28	Cribb says probably form of javanicum
amabile	Barbata (Barbatum)	B2, C, C1, H, O1, P8	28	= bullenianum
amabilis	Barbata (Barbatum)	C1, K	28	= bullenianum
amboinensis	Barbata (Barbatum)	W	28	= celebesensis
ambonensis	Barbata (Barbatum)	W	28	= amboinensis, celebesensis
ang thong	Brachypetalum	B2, C, H, K, P8	27	= godefroyae, niveum var. ang-thong
x ang thong var. album	Brachypetalum	P10	27	= godefroyae, niveum var. ang-thong
angustatum	Parvisepalum	P3, P8, T2, W1	27	= malipoense var. jackii, malipoense var. angustatum, hiepii
angustifolium	Barbata (Barbatum)	P3, P8, T2, W1	28	= appletonianum
anitum	Coryopedilum – Polyantha	B3, K, O1, P3, P7, T2	29	= adductum var. anitum
Appletonianum	Barbata (Barbatum)	B, B2, B3, C, C1, H, K, K1, K2, K3 O1, P1, P2, P4, P5, P7, P8	28	= cerveranum, hainanense, hainanensis, hookerae ssp. Appletonianum, wolterianum
appletonianum fma. album	Barbata (Barbatum)	P8	28	
appletonianum fma. aureum	Barbata (Barbatum)	O2	28	
appletonianum fma. immaculatum	Barbata (Barbatum)	P7, P8, S1	28	= appletonianum
appletonianum var. hainanense	Barbata (Barbatum)	P7, P8, S1	28	
appletonianum var. poynztianum	Barbata (Barbatum)	P7	28	
arainianum	Barbata (Barbatum)	O1, P8, W1	28	http://www.theplantlist.org/tpl/record/kew-458918) says this is an unresolved name. = dianthum or a hybrid
aranianum	Barbata (Barbatum)	O1, P8, W1	28	http://www.theplantlist.org/tpl/record/kew-458918) says this is an unresolved name. = dianthum or a hybrid
areeanum	Paphiopedilum (Insigne)	K2, K3, P5, T	28	= rhizomatosum
x areeanum		P1, P2, P3, P4, P8, W1	30-37	= barbigerum × villosum var. annamense

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
argus	Barbata (Barbatum)	B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	= sriwaniae
armeniacum	Parvisepalum	B, B2, B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	27	
armeniacum fma. markii	Parvisepalum	P1, P2, P7, P8	27	
armeniacum var. parviflorum	Parvisepalum	P8	27	= armeniacum
armeniacum var. undulatum	Parvisepalum	P8	27	= armeniacum
x ashburtoniae		W1	30-37	= barbatum x insigne
x aspersum		P3, P4, P5, P6, P8, T2, W1	30-37	= barbigerum x henryanum
ayubianum	Barbata (Barbatum)	K3	28	= sangii
ayubii	Coryopedilum – Polyantha	B3, P8	29	= gigantifolium
baccanum	Barbata (Barbatum)	B3, K, P8	28	= schoseri, usitae, parnatanum
Barbatum	Barbata (Barbatum)	B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	= nigratum
barbatum var. nigratum	Barbata (Barbatum)	P9	28	syn. sangii var. ayubianum
barbigerum	Paphiopedilum (Insigne)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8, T2	28	= insigne var. barbigerum
barbigerum fma. album	Paphiopedilum (Insigne)	O2	28	
barbigerum fma. aspersum	Paphiopedilum (Insigne)	K3	28	
barbigerum fma. aureum	Paphiopedilum (Insigne)	K3, P7, P8, S1	28	
barbigerum fma. chlorophyllum	Paphiopedilum (Insigne)	P8	28	= bellatulum
barbigerum var. aureum	Paphiopedilum (Insigne)	A4	28	
barbigerum var. coccineum	Paphiopedilum (Insigne)	O2	28	
barbigerum var. lockianum	Paphiopedilum (Insigne)	P8, T2	28	= coccineum
barbigerum var. sulivongii	Paphiopedilum (Insigne)	P3, T2	28	
bellatulum	Brachypetalum (Concoloria)	B, B2, B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	27	
bellatulum fma. album	Brachypetalum	K3, P7, P8, S1	27	
besseae		W1	--	= Phragmipedium besseae
x beyrodtianum		C, P4	30-37	nat. hyb. of unknown parentage
birkii	Barbata (Barbatum)	B1, B2, B3, P8	28	= callosum subsp. sublaeve

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
bodegomensis	Coryopedilum - Polyantha	B3	29	= praestans
bodegomii	Coryopedilum - Polyantha	B2, B3, C1, H, K, P8	29	= praestans, glanduliferum var. wilhelminiae, glanduliferum var. gardineri, praestans var. bodegomii
boissierianum		W1	--	= Phragmipedium boissierianum
bougainvilleanum	Barbata (Barbatum)	B, B2, B3, C, C1, H, K2, O1, P1, P2, P4, P5, P7, P8	28	= violascens
bougainvilleanum forma album	Barbata (Barbatum)	P10	28	
bougainvilleanum var. saskianum	Barbata (Barbatum)	K2, P1, P2	28	= violascens
bougainvillianum var. saskianum	Barbata (Barbatum)	P3, P8, T2	28	See: bougainvilleanum var. saskianum
boxallii	Paphiopedilum (Insigne)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P7	28	= dilectum, villosum var. boxallii
boxallii f. atratum	Paphiopedilum (Insigne)	K3	28	
braemii	Barbata (Barbatum)	B, B3, C, K, K2, K3, O1, P5, P7	28	= tonsum var. braemii
brevilabium	Barbata (Barbatum)	P8, W1	28	= wardii
bullenianum	Barbata (Barbatum)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	= amabile, bullenianum, hookerae var. bullenianum, celebesense, johorense, linii, robinsonii, tortipetalum, tortisepalum
bullenianum var. celebesense	Barbata (Barbatum)	P1, P2, P7, P8, S1	28	
bullenianum var. johorense	Barbata (Barbatum)	P7, P8, S1	28	
bungebelangii	Barbata (Barbatum)	K3, O3, O5	28	New
burbidgei	Barbata (Barbatum)	B3, C1	28	= dayanum var. burbidgei
x burbidgei		C, C1, H, P1, P2, P4, P5, P6, P8	30-37	= dayanum x javanicum var. virens
burmanicum	Barbata (Barbatum)	P8, W1	28	= wardii
callosum	Barbata (Barbatum)	B2, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P8	28	= sublaeve, thailandense
callosum fma. album	Barbata (Barbatum)	O2	28	
callosum fma. vinicolor	Barbata (Barbatum)	K3	28	
callosum fma. viridiflorum	Barbata (Barbatum)	P8, S1	28	
callosum var. angustisepala	Barbata (Barbatum)	P8	28	= callosum
callosum var. potentianum	Barbata (Barbatum)	P1, P2, P8, S1	28	
callosum var. sublaeve	Barbata (Barbatum)	K2, K3, P8	28	= burkii, sublaeve, thailandense
callosum var. sublaeve fma. album	Barbata (Barbatum)	S1	28	
callosum var. viniferum	Barbata (Barbatum)	P8, S1	28	
callosum var. warnerianum	Barbata (Barbatum)	K2, K3, P1, P2	28	= callosum var. sublaeve

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
canhii	Barbata (Barbatum)(Megastaminodium)	I,W1, K2, K3, P3, P5, P8, T2	28	Note: G.J. Braem puts it in new subgenus Megastaminodium – see http://www.orchiddigest.com/orchid-digest-75-3.html
canhii var funingense	Barbata (Barbatum)	P8, T2	28	= canhii
caobangense	Paphiopedilum (Insigne)	B3, P8, W1	28	= tranlienianum
caricinum		W1	--	= Phragmipedium caricinum
caudatum		W1	--	= Phragmipedium caudatum
celebesense	Barbata (Barbatum)	B3	28	= bullenianum var. celebesense
celebesensis	Barbata (Barbatum)	B2, B3, C, C1, H	28	= bullenianum var. celebesense
ceramensis	Barbata (Barbatum)	C2, P8	28	= bullenianum var. celebesense
cerveranum	Barbata (Barbatum)	B, B3, K, O1, P3, P8, T2	28	= appletonianum, robinsonii
cerveranum fma. viride	Barbata (Barbatum)	P7	28	= appletonianum, robinsonii
chamberlainianum	Cochlopetalum	B2, B3, C, H, K, K1, O1, P7, P8	29a	= victoria-regina subsp. chamberlainianum
chamberlainianum var. flavescens	Cochlopetalum	P8	29a	= primulinum fma. purpurascens
chamberlainianum var. flavum	Cochlopetalum	P8	29a	= primulinum
chamberlainianum var. kalinae	Cochlopetalum	P8, S1	29a	
chamberlainianum var. latifolium	Cochlopetalum	P8	29a	= chamberlainianum
chamberlainianum var. liemiana	Cochlopetalum		29a	= chamberlainianum
chaoi	Paphiopedilum (Insigne)	B3, K, P3, P8, T2	28	= henryanum f. chaoi
charlesworthii	Paphiopedilum (Insigne)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	
charlesworthii fma. album	Paphiopedilum (Insigne)	K3	28	
charlesworthii fma. sandowiae	Paphiopedilum (Insigne)	P7, P8, S1	28	
charlesworthii fma. sandowiae album	Paphiopedilum (Insigne)		28	
chiwuanum	Paphiopedilum (Insigne)	B2, B3, C, C1, H	28	= hirsutissimum var. esquirelei
christensonianum	Paphiopedilum (Insigne)	K3	28	syn: gratrixianum var. christensonianum
ciliolare	Barbata (Barbatum)	B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	
ciliolare semialbum	Barbata (Barbatum)	P10	28	
coccineum	Paphiopedilum (Insigne)	B3, K, K2, K3, O1, P3, P5, P7, P8, T2	28	= barbigerum var. coccineum, barbigerum var. loekianum
concolor	Brachypetalum (Concoloria)	B, B2, B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	27	
concolor forma album	Brachypetalum	P7	27	
concolor forma sulphurinum	Brachypetalum	P3, P8, T2	27	

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
concolor subsp. hennisianum	Brachypetalum	B1	27	= concolor
concolor subsp. regnieri	Brachypetalum	B1	27	= concolor
concolor var. album	Brachypetalum	P8	27	= concolor fma. sulphurinum
concolor var. chlorophyllum	Brachypetalum	O2	27	
concolor var. concolor	Brachypetalum	A6	27	
concolor var. dalhuaense	Brachypetalum	P8	27	= concolor
concolor var. immaculatum	Brachypetalum	P8	27	= concolor fma. sulphurinum
concolor var. longipetalum	Brachypetalum	K2, O6, P3, P8, T2	27	Now new species josianae
concolor var. striatum	Brachypetalum (Concoloria)		27	
concolor var. trungkienii	Brachypetalum (Concoloria)	K3	27	
x conco-bellatulum			30-37	= concolor x bellatulum
cornuatum	Paphiopedilum (Insigne)	K2, K3, P5, P8, W1	28	= villosum, WCSP accepted name
cornutum	Paphiopedilum (Insigne)	T2	28	See: cornuatum
cothurnum		W1	--	= Catasetum macrocarpum
x cribbi	see x affine	P1, P2, P4, P5, P6, P7, P8, T	30-37	= appletonianum x villosum
crossii	Barbata (Barbatum)	B3, K, O1, P7	28	Early name for callosum, birkii, reflexum, regnieri, sublaeve, thailandense
crossii fma. viniferum	Barbata (Barbatum)	P7	28	= viniferum
crossii fma. viridiflorum	Barbata (Barbatum)	P7	28	
crossii var. potentianum	Barbata (Barbatum)	P7	28	= callosum
crossii var. sublaeve	Barbata (Barbatum)	P7	28	= callosum
curtisii	Barbata (Barbatum)	B2, C, C1, H, K1, P8	28	= superbiens var. curtisii
curtisii fma. sanderæ	Barbata (Barbatum)	P8	28	
czerwiakowianum		W1	--	= Phragmipedium boissierianum var. czerwiakowianum
x dalatense		P1, P2, P4, P5, P6, P8, W1	30-37	callosum x villosum var. annamense
daoense	Paphiopedilum (Insigne)	K3	28	syn: gratrixianum var. daoense
dayanum	Barbata (Barbatum)	B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	= burbidgei, petri
dayanum var. petri	Barbata (Barbatum)	C1	28	= burbidgei, petri
delenatii	Parvisepalum	B, B2, B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	27	
delenatii fma alba	Parvisepalum	O2	27	
delenatii fma album	Parvisepalum	O2	27	
delenatii fma. albidum	Parvisepalum	P7	27	See delenatii fma. albinum

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
delenatii fma. albinum	Parvisepalum	K3, P8, S1	27	
delenatii fma. lutescens	Parvisepalum	P8	27	= delenatii
delenatii forma vinicolor	Parvisepalum	K3, P3, P8, T2	27	
delenatii var. dundle	Parvisepalum	O2	27	
delicatum	Paphiopedilum (Insigne)	B3, K, P8	28	= helenae forma delicatum
denisii	Barbata (Barbatum)	B3, C1, P8	28	= wentworthianum
densissimum	Paphiopedilum (Insigne)	K3, P8, W1	28	= villosum var. densissimum
devogelii	Coryopedilum - Polyantha	B3, P8, W	29	= supardii
dexlerianum	Barbata (Barbatum)	P3	28	
dianthum	Pardalopetalum - Polyantha	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	29	= parishii var. dianthum
dianthum fma. album	Pardalopetalum - Polyantha	K3	29	
dianthum var. album	Pardalopetalum - Polyantha	P8, S1	29	
dilectum	Paphiopedilum (Insigne)	B3, C	28	= boxallii, villosum var. boxallii
delicatum	Paphiopedilum (Insigne)	B3, K	28	= helenae forma delicatum
dixlerianum	Barbata (Barbatum)	B3, K, P5, P7, P8, T2	28	= sukhakulii
x dixlerianum		K2, P1, P2, P4, P6, W1	30-37	= callosum x wardii
dodyanum	Cochlopetalum	K3, O3, O5	29a	New
dollii	Paphiopedilum (Insigne)	B3, C, P8	28	= henryanum
druryi	Paphiopedilum (Insigne)	B, B2, B3, C, C1, H, K, K1, K2, O1, P1, P2, P4, P5, P7, P8	28	
ecuadorensis		W1	--	= Phragmipedium pearcei
elliottianum	Coryopedilum - Polyantha	P8, W1	29	= rothschildianum
elliottianum	Coryopedilum - Polyantha	B, B3, C, C1, H, K1, K2, O1, P7	29	= rothschildianum var. elliottianum
emersonii	Parvisepalum(Emersoniana)	B, B3, C, H, K, K2, K3, O1, P1, P2, P4, P5, P7, P8	27	syn: huonglanae
emersonii fma. album	Parvisepalum	P8, S1	27	
emersonii fma. huonglanae	Parvisepalum	O4	27	New
emersonii fma. luteum	Parvisepalum	P8, S1	27	
emersonii var. angustipetalum	Parvisepalum	O4	27	New
emersonii var. guangxiensis	Parvisepalum	O4	27	New
emersonii var. kwang-nanensis	Parvisepalum	O4	27	New
epidendricum		W1	--	= Eulophia alta
esquirolei	Paphiopedilum (Insigne)	B, B2, B3, C, C1, H, K1, O1, P7	28	= chiwuanum, hirsutissimum var. esquirolei
esquirolei fma. viride	Paphiopedilum (Insigne)	P7	28	= chiwuanum, hirsutissimum var. esquirolei
esquirolei forma album	Paphiopedilum (Insigne)	O2	28	

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
esquirolei var. chiwuanum	Paphiopedilum (Insigne)	P7	28	= chiwuanum, hirsutissimum var. esquirolei
x expansum		C, P1, P2, P4, P5, P6, P8	30-37	= hennisianum x philippinense
exstaminodium		W1	--	= Phragmipedium exstaminodium
exul	Paphiopedilum (Insigne)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	syn: insigne var. exul
exul fma. album	Paphiopedilum (Insigne)	K3	28	
exul fma. aureum	Paphiopedilum (Insigne)	P8, S1	28	
fairrianum	Paphiopedilum (Insigne)	P5	28	Unverified name
fairrianum	Paphiopedilum (Insigne) (Ceratopetalum)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	
fairrianum fma. albescens	Paphiopedilum (Insigne)	O2	28	
fairrianum fma. album	Paphiopedilum (Insigne)	O2	28	
fairrianum fma. aureum	Paphiopedilum (Insigne)	P7	28	
fairrianum fma. bohlmannianum	Paphiopedilum (Insigne)	P7, P8, S1	28	
fairrianum fma. delicata	Paphiopedilum (Insigne)	K3, P7, P8, S1	28	
fairrianum var. flavum	Paphiopedilum (Insigne)	P8	28	= fairrianum fma. bohlmannianum
fairrianum var. giganteum	Paphiopedilum (Insigne)	P8	28	= fairrianum
fairrianum var. nigrescens	Paphiopedilum (Insigne)	P8	28	= fairrianum
x fanaticum		C, O1, P1, P2, P4, P5, P6, P8	30-37	= malipoense x micranthum
flavescens	Cochlopetalum	W	29a	= liemianum var. primulinum subvar flavescens
flavium	Cochlopetalum	W	29a	= liemianum var. primulinum subvar flavium
fowliei	Barbata (Barbatum)	B, B2, B3, C, C1, H, K, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	= hennisianum var. fowliei
fowliei fma. album	Barbata (Barbatum)	O2	28	
fowliei fma. christianae	Barbata (Barbatum)	P7, P8, S1	28	
fowliei var. sangianum	Barbata (Barbatum)	P8	28	= fowliei
x frankeanum		C, P1, P2, P4, P5, P6, P8	30-37	= superbiens var. curtisii x tonsum
fumi	Coryopedilum - Polyantha	B3, P8	29	= platyphyllum
gardineri	Coryopedilum - Polyantha	B2, B3, C, C1, H, K, K1, O1	29	= wilhelminiae, glanduliferum var. gardineri, praestans
gigantifolium	Coryopedilum - Polyantha	P3, T2	29	See: gigantifolium
gigantifolium	Coryopedilum - Polyantha	B, B3, C, K, K2, K3, O1, P1, P2, P4, P5, P7, P8	29	= ayubii

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
glanduliferum	Coryopedilum – Polyantha	B, B2, B3, C, C1, H, K, K1, O1, P1, P2, P4, P5, P7	29	= praestans
glanduliferum var. album	Coryopedilum - Polyantha	P10	29	= praestans
x glanzii		P3, P4, P5, P6, P8, T, T2	30-37	= emersonii x micranthum
glaucophyllum	Cochlopetalum	B2, B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	29a	= moquettianum, victoria-regina subsp. glaucophyllum
glaucophyllum var moquetteanum	Cochlopetalum	O1	29a	
glaucophyllum, var. moquetteanum forma flavoviride	Cochlopetalum	P10	29a	
globulosum	Parvisepalum	B3, T2, P3, P8, W1	27	= micranthum
godefroyae	Brachypetalum (Concoloria)	B, B2, B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	27	= leucochilum
godefroyae fma. album	Brachypetalum (Concoloria)	K3, P8, S1	27	
godefroyae fma. anghong	Brachypetalum	O1	27	
godefroyae fma. leucochilum	Brachypetalum	P7, P8, S1	27	
godefroyae fma. leucochilum, white form	Brachypetalum	K	27	
godefroyae var. anghong	Brachypetalum		27	
godefroyae var. leucochilum forma album	Brachypetalum	P10	27	
x gowerianum		P6	30-37	= curtisii x lawrenceanum
x gowerianum f album		P6	30-37	= curtisii x lawrenceanum
gratrixianum	Paphiopedilum (Insigne)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	= affine, villosum var. affine, villosum var. gratrixianum
gratrixianum var. cangyuanense	Paphiopedilum (Insigne)	P3, P8, T2	28	= gratrixianum
gratrixianum var. christensonianum	Paphiopedilum (Insigne)		28	= gratrixianum
gratrixianum var. daoense	Paphiopedilum (Insigne)	P3, P8, T2	28	= gratrixianum
gratrixianum var. gratrixianum	Paphiopedilum (Insigne)	O6	28	= gratrixianum
gratrixianum var. guangdongense	Paphiopedilum (Insigne)	O6	28	= gratrixianum
x greyi		P7	30-37	= godefroyae x niveum
x greyi f. album		K	30-37	= godefroyae x niveum

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
x grussianum		P1, P2, P3, P4, P5, P6, P8, T, T2	30-37	= hirsutissimum var. esquirelei x parishii var. dianthum or hirsutissimum x villosum
x grussii		P8	30-37	= x nitens
guangdongense	Paphiopedilum (Insigne)	T, K2, K3, P3, P5, P8, T2	28	= gratrixianum
hainanense	Barbata (Barbatum)	B3, C, C1, H, K, O1	28	= appletonianum
hainanensis	Barbata (Barbatum)	B3	28	= appletonianum
hangianum	Parvisepalum	B3, K, K2, K3, O1, P1, P2, P3, P4, P5, P7, P8, T2	27	= singchii
hangianum fma. album	Parvisepalum	P7, P8, S1	27	
x harrisianum		P6	30-37	= barbatum x villosum
hartwegii		W1	--	= Phragmipedium longifolium
haynaldianum	Pardalopetalum – Polyantha	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	29	
haynaldianum fma. alboviride	Pardalopetalum – Polyantha		29	
haynaldianum fma. album	Pardalopetalum - Polyantha	K3, P7, P8, S1	29	
haynaldianum var laure	Pardalopetalum - Polyantha	P3, T2	29	
helenae	Paphiopedilum (Insigne)	B, B3, C, K, K2, K3, O1, P1, P2, P3, P4, P5, T2, P7, P8	28	= delicatum
helenae fma. album	Paphiopedilum (Insigne)	O2	28	
helenae fma. aureum	Paphiopedilum (Insigne)	P7, P8, S1	28	
helenae forma delicatum	Paphiopedilum (Insigne)	P3, T2	28	
helenae var. peschutteri	Paphiopedilum (Insigne)	P8	28	= helenae
helenae var. sanderae	Paphiopedilum (Insigne)	P10	28	
hennisianum	Barbata (Barbatum)	B2, B3, C, C1, C3, H, K, K1, K2, O1, P1, P2, P4, P5, P7, P8	28	= sugiyamanum
hennisianum fma album	Barbata (Barbatum)	C	28	
hennisianum fma. christiansenii	Barbata (Barbatum)	P7, P8, S1	28	
hennisianum var. christiansenii	Barbata (Barbatum)	C3	28	
henryanum	Paphiopedilum (Insigne)	B, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	= chaoi, dollii
henryanum dark form	Paphiopedilum (Insigne)		28	
henryanum fma. albinisticform	Paphiopedilum (Insigne)		28	
henryanum fma. album	Paphiopedilum (Insigne)	P8, S1	28	

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
henryanum fma. chaoi	Paphiopedilum (Insigne)		28	
henryanum fma. christae	Paphiopedilum (Insigne)	B, K3, P7, P8, S1	28	
henryanum nearly albinistic form	Paphiopedilum (Insigne)		28	
herrmannii	Paphiopedilum (Insigne)	B, B3, K, K2, K3, P3, P7, P8, T2	28	x herrmannii
x herrmannii		C, K3, O1, P1, P2, P4, P5, P6	30-37	helenae x hirsutissimum var. esquirolei
hiepii	Parvisepalum	B, B3, K, P3, P8, T2	27	= malipoense var. jackii
hiepii var. album	Parvisepalum	T2	27	
hilmari	Parvisepalum	B3, O, P8	27	= vietnamense
hilmarii	Parvisepalum	W1	27	= vietnamense
hincksianum		W1	--	= Phragmipedium longifolium
hirsutissimum	Paphiopedilum (Insigne)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	= esquirolei, saccopetalum
hirsutissimum f. albo-viride	Paphiopedilum (Insigne)	A3	28	= esquirolei, chiwuanum
hirsutissimum var. album	Paphiopedilum (Insigne)	A5	28	
hirsutissimum var. chiwuanum	Paphiopedilum (Insigne)	B, B2, C, C1, H, K, K1, K2, K3, P1, P2, P8	28	= esquirolei, chiwuanum
hirsutissimum var. esquirolii	Paphiopedilum (Insigne)	B, B2, C, C1, H, K, K1, K2, K3, P1, P2, P8	28	= esquirolei
hirsutissimum var. esquirolei fma. album	Paphiopedilum (Insigne)	K3, P8, S1	28	
hirsutissimum var. esquirolei fma. viride	Paphiopedilum (Insigne)	P8, S1	28	
hirtzii		W1	--	= Phragmipedium hirtzii
x holdenii		P8, W1	30-37	= callosum x Maudiae
honglaniae	Parvisepalum	K	27	= emersonii
hookerae	Barbata (Barbatum)	B, B2, B3, C, C1, H, K, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	= appletonianum
hookerae var. volonteantum	Barbata (Barbatum)	K2, K3, O1, P1, P2, P8	28	= volonteantum
hookerae var. volonteantum fma. sandowii	Barbata (Barbatum)	P8, S1	28	
x huangrongshuanum		P3, P5, P6, P8, T, T2	30-37	= dianthum x gratixianum
huonglanae	Parvisepalum	P3, P8, T2, W1	27	= emersonii
inamorii	Barbata (Barbatum)	K2, K3, P5, P8, T2, W1	28	
inomorii	Barbata (Barbatum)	P3	28	See inamorii

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
insigne	Paphiopedilum (Insigne)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	
insigne fma. sanderae	Paphiopedilum (Insigne)	K3, P7, P8, S1	28	
insigne fma. sanderianum	Paphiopedilum (Insigne)	P7, P8, S1	28	
insigne var. albomarginatum	Paphiopedilum (Insigne)		28	
insigne var. montanum	Paphiopedilum (Insigne)	B	28	
insigne var. sanderae	Paphiopedilum (Insigne)	A2	28	
intaniae	Coryopedilum – Polyantha	K, K2, K3, P1, P2, P3, P4, P5, P8, T2	29	See O1 – may be a garden hybrid
jackii	Parvisepalum	B, C, K, K2, K3, P5	27	= malipoense var. jackii
javanicum	Barbata (Barbatum)	B2, B3 C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	
javanicum fma. album	Barbata (Barbatum)	O2	28	
javanicum fma. nymphenburgianum	Barbata (Barbatum)	P7, P8, S1	28	
javanicum var. virens	Barbata (Barbatum)	K3, P1, P2, P7, P8, S1	28	
johorensis	Barbata (Barbatum)	B3	28	= bullenianum
johorensis	Barbata (Barbatum)	B2, B3, C, C1, H	28	= bullenianum
josianae	Brachypetalum (Concoloria)	K3, P3, P8, T2	27	The plant hitherto known as <i>Paphiopedilum</i> (formerly <i>Cypripedium</i>) <i>concolor</i> var. <i>longipetalum</i> is elevated to the species level and described as <i>Paphiopedilum josianae</i> Braem & Nimpoonsri in honour of Mrs. Josiane Guiard
kaieteurum		W1	--	= <i>Phragmipedium lindleyanum</i>
kalinae	Cochlopetalum	B3, C, O1, P7	29a	= victoria-regina var. kalinae
keyesianum	Brachypetalum	K	27	= godefroyae
x kimballianum		C, P1, P2, P4, P5, P6, P8	30-37	= rothschildianum x dayanum
kolopakingii	Coryopedilum - Polyantha	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	29	
kolopakingii fma. katherinae	Coryopedilum - Polyantha	K3, P8, S1	29	
kolopakingii fma. topperi	Coryopedilum - Polyantha	P7	29	
laevigatum	Coryopedilum - Polyantha	B2, C, C1, H, K1	29	= philippinense var laevigatum
x lathamianum		B4, P6	30-37	= spicerianum x villosum
lawrenceanum	Barbata (Barbatum)	B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	= nigratum
lawrenceanum fma. hyeaanum	Barbata (Barbatum)	K3 P7, P8, S1	28	
lawrenceanum var. album	Barbata (Barbatum)	P	28	

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
lawrenceanum var. trieuatum	Barbata (Barbatum)	C2	28	
lawrenceanum var. viride	Barbata (Barbatum)	C2	28	
x leeanum		C	30-37	= spicerianum x insigne
leucochilum	Brachypetalum	B2, B3, C, H, K, K1, K2, O6, P5	27	= godefroyae, godefroyae var. leucochilum
leucochilum fma. album	Brachypetalum (Concoloria)		27	
leucochilum var. hemixanthinum	Brachypetalum	B1	27	= godefroyae, godefroyae var. leucochilum
liemianum	Cochlopetalum	B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	29a	= victoria-regina var. liemianum
lindenii		W1	--	= Phragmipedium lindenii
lindleyanum		W1	--	= Phragmipedium lindleyanum
linii	Barbata (Barbatum)	B2, B3, C, C1, H, P8	28	= bullenianum
x littleanum		C, P1, P2, P4, P5, P6, P8	30-37	= dayanum x lawrenceanum
longifolium		W1	--	= Phragmipedium longifolium
lowii	Pardalopetalum - Polyantha	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	29	
lowii fma. albescent	Pardalopetalum - Polyantha	K3	29	
lowii fma. aurea	Pardalopetalum - Polyantha	K3	29	
lowii fma. aureum	Pardalopetalum - Polyantha	P7, P8, S1	29	
lowii fma. flavum	Pardalopetalum - Polyantha	Orchid Digest Vol. 82-2 Apr.-June 2018 pg. 61	29	
lowii var. latifolium	Pardalopetalum - Polyantha	P3, T2	29	
lowii var. lynniae	Pardalopetalum - Polyantha	P1, P2, P8	29	
lowii var. richardianum	Pardalopetalum - Polyantha	P1, P2, P8	29	
x lushuense		T	30-37	= spicerianum x villosum See: x lushuense
lunatum	Barbata (Barbatum)	K3, O3, O5	28	New
x lushuense		P5, P6, P8, W1	30-37	= spicerianum x villosum
lynniae	Pardalopetalum - Polyantha	B, B3, C, C1, K, K2, K3, P7	29	= lowii var. lynniae
macfarlanei	Paphiopedilum (Insigne)	P8, W1	28	= insigne
macranthum	Paphiopedilum (Insigne)	P8, W1	28	= villosum var. villosum
malipoense	Parvisepalum	B, B3, C, H, K, K2, K3, O1, P1, P2, P4, P5, P7, P8, T2	27	
malipoense fma. album	Parvisepalum	O2	27	
malipoense fma. concolor	Parvisepalum	P7, P8, S1	27	
malipoense forma tonnianum	Parvisepalum	P3, P8, T2	27	= malipoense
malipoense var. hiepii	Parvisepalum	P3, P7	27	
malipoense var. jackii	Parvisepalum	P3, P7, P8	27	
malipoense var. jackii fma. virescens	Parvisepalum	P8, S1	27	

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
markianum	Paphiopedilum (Insigne)	B, B3, C, K, O1, P7, P8	28	= tigrinum
markii	Parvisepalum	B3, K	27	= armeniacum f. markii
mastersianum	Barbata (Barbatum)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	
mastersianum album	Barbata (Barbatum)	P10	28	
mastersianum var. mohrianum	Barbata (Barbatum)	K2, K3, P1, P2	28	= mohrianum, x mohrianum
x mattesii		C, P1, P2, P4, P5, P6, P8	30-37	= barbatum x bullenianum
micranthum	Parvisepalum	B, B2, B3, C, H, K, K1, K2, K3, O1, P1, P2, P3, P4, P5, P7, P8, T2	27	= globulosum
micranthum fma. albo-flavum	Parvisepalum	P7, P8	27	= micranthum fma. glanzeanum
micranthum fma. album	Parvisepalum	P7, P8	27	
micranthum fma. eburneum	Parvisepalum		27	
micranthum var. eburneum	Parvisepalum	K2, K3, P1, P2, P8	27	= micranthum
micranthum var. glanzeanum	Parvisepalum	P1, P2, P8	27	
micranthum var. oblatum	Parvisepalum	P3, P8, T2	27	= micranthum
microchilum	Barbata (Barbatum)	P8, W1	28	= wardii
x mindanaense		P3, T2	30-37	= anitum x superbiens
mirabile	Parvisepalum	B3, O, P8	27	= vietnamense
mohrianum	Barbata (Barbatum)	P8	28	= mastersianum var. mohrianum
x mohrianum		B3, C	30-37	= bullenianum var. celebense x javanicum
moquetteanum	Cochlopetalum	B2, B3, C, H, K, K1, K2, K3, O1, P5, P8	29a	= glaucophyllum var. moquetteanum
moquetteanum fma. flavoviride	Cochlopetalum	P8, S1	29a	
multifolium	Barbata (Barbatum)	P3, P8, T2, W1	28	= wardii
myanmaricum	Brachypetalum (Concoloria)	O6	27	
nataschae	Barbata (Barbatum)	K3, T2	28	= nataschae
nigritum	Barbata (Barbatum)	B2, B3, C, C1, H, K, K1	28	= barbatum, lawrenceanum, barbatum var nigritum
x nitens		C, P3, P5, P6, P8, T2	30-37	= villosum x insigne
niveum	Brachypetalum (Concoloria)	B, B2, B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	27	
niveum fma. album	Brachypetalum	P7, P8, S1	27	
notatisepalum	Paphiopedilum (Insigne)	K3, O3	28	Considered a form of henryanum
ooii	Coryopedilum - Polyantha	B3, K, K2, O1, P1, P2, P3, P4, P5, P7, P8, T2	29	
papilio-laoticus	Paphiopedilum (Insigne)	K3	28	OrchideenJournal Vol. 6 No 4 - 2018

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
papuanum	Barbata (Barbatum)	B, B2, B3, C, C1, H, K, K1, K2, K3, P1, P2, P4, P5, P7, P8	28	syn: ziekianum
papuanum forma alesejanum	Barbata (Barbatum)	T2	28	
papuanum forma alexejanum	Barbata (Barbatum)	P3	28	
papuanum forma alexejianum	Barbata (Barbatum)	P8	28	= papuanum
pardinum	Barbata (Barbatum)	B3, C, C1, H	28	= venustum
parishii	Pardalopetalum - Polyantha	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	29	= dianthum
parishii var. dianthum	Pardalopetalum - Polyantha	C1	29	= dianthum
parnatanum	Barbata (Barbatum)	K, K2, K3, O1, P3, P4, P5, P8, T2	28	= usitae, = usitanum
paulistanum		W1	--	= Phragmipedium vittatum
pearcei		W1	--	= Phragmipedium pearcei
x pereirae		C, P1, P2, P4, P6	30-37	= niveum x exul
x petchleungianum		P1, P2, P3, P4, P5, P6, P8, T, T2	30-37	= dianthum x villosum
petri	Barbata (Barbatum)	B3, C, C1, H	28	= dayanum
philippinense	Coryopedilum – Polyantha	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	29	= laevigatum, roebelinii
philippinense fma. alboflavum	Coryopedilum – Polyantha	P8, S1	29	
philippinense fma. album	Coryopedilum - Polyantha	P8	29	= philippinense fma. alboflavum
philippinense fma. aureum	Coryopedilum - Polyantha	O2	29	
philippinense fma. semialbum	Coryopedilum - Polyantha	O2	29	
philippinense var. alboviride	Coryopedilum - Polyantha	A8	29	
philippinense var. compactum	Coryopedilum - Polyantha	P8	29	= philippinense
philippinense var. laevigatum	Coryopedilum - Polyantha	K3, O2	29	
philippinense var. palawanense	Coryopedilum - Polyantha	P3, T2	29	
philippinense var. philippinense	Coryopedilum - Polyantha	A7	29	
philippinense var. roebelenii	Coryopedilum – Polyantha	K2, K3, P1, P2, P8	29	= laevigatum, roebelinii
philippinense var. roebelenii f. album	Coryopedilum - Polyantha	O2	29	
platyphyllum	Coryopedilum – Polyantha	B3, K, K2, K3, O1, P3, P4, P5, P7, P8, T2	29	= fumi, stonei var. latifolium, sugiyamii
potentianum	Barbata (Barbatum)	C, K2, K3, P3, T2	28	= callosum var. potentianum

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
x powellii		C, P1, P2, P3, P4, P5, P6, P8, P8, T2	30-37	= callosum x exul
x powellii		C, P1, P2, P3, P4, P5, P6, P8, P8, T2	30-37	= callosum x exul
x pradhanii		C, H, P1, P2, P4, P5, P6	30-37	= fairrieianum x venustum
praestans	Coryopedilum – Polyantha	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P5, P7, P8	29	= bodegomensis, bodegomii, gardineri, glanduliferum, striatum, wilhelminiae
praestans var. bicornutum	Coryopedilum - Polyantha	K3, P8	29	= wilhelminiae
primulinum	Cochlopetalum	B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	29a	
primulinum f. album	Cochlopetalum	O2	29a	
primulinum f. aurea	Cochlopetalum	O2	29a	
primulinum f. aureum	Cochlopetalum	O2	29a	
primulinum f. flavum	Cochlopetalum	O2	29a	
primulinum f. purpurascens	Cochlopetalum	K2, K3, O1, P1, P2, P7, P8	29a	= primulinum var. purpurascens
primulinum var. flavescens	Cochlopetalum	B1	29a	
puberlum	Barbata (Barbatum)	P8	28	= appletonianum
puberulum	Barbata (Barbatum)	W1	28	= appletonianum
purpurascens	Barbata (Barbatum)	B2, C, C1, H, K, P8	28	= javanicum var. virens
purpuratum	Barbata (Barbatum)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P3, P4, P5, P7, P8, T2	28	= aestivum, sinicum
purpuratum fma. album	Barbata (Barbatum)	P8, S1	28	
purpuratum var. hainanense	Barbata (Barbatum)	P1, P2, T2	28	= aestivum, sinicum
qingyongii	Barbata (Barbatum)	K3, P3, P5, T2, W1	28	accepted name
quingyongii	Coryopedilum - Polyantha	K2, P8	29	resembles P. venustum, See qingyongii
randsii	Coryopedilum – Polyantha	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	29	
reflexum	Barbata (Barbatum)	B3, K, P8	28	= callosum, crossii
regnieri	Barbata (Barbatum)	B3, K, P8	28	= callosum, crossii
reticulatum		W1	--	= Phragmipedium reticulatum
rhizomatosum	Paphiopedilum (Insigne)	P1, P2, P3, P8, T, T2	28	= x areeanum, Syn. P. areeanum
richardianum	Pardalopetalum – Polyantha	B, B3, C, C1, K, K2, K3, O1, P5, P7	29	= lowii var. richardianum
robinsonianum	Barbata (Barbatum)	K3, P3, P5, P8, T2	28	
robinsonianum var. anitanum	Barbata (Barbatum)	K3	28	syn: anitanum
robinsonii	Barbata (Barbatum)	B2, C, C1, H, K, O1	28	= bullenianum
robinsonii fma. viride	Barbata (Barbatum)	P8	28	= appletonianum fma. album
roebbelenii	Coryopedilum - Polyantha	B3, I1, O1, P7	29	= cerveranum, philippinense var. roebbelenii

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
roebelenii fma. alboflavum	Coryopedilum - Polyantha	P7	29	See philippinense
roebelenii	Coryopedilum - Polyantha	B, B2, C, C1, H, K, K1	29	= philippinense var. roebelenii
roezlii		W1	--	= Phragmipedium longifolium
rohmanii	Barbata (Barbatum)	K3, O5	28	New
rothschildianum	Coryopedilum – Polyantha	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	29	= eliottianum
rothschildianum album	Coryopedilum - Polyantha	P10	29	
rungsuriyanum	Pumilum	K3, P3, P8, T2	28	= rungsurianum - currently all plants are illegal
saccopetalum	Paphiopedilum (Insigne)	B3, P1, P2, P3, P8, T2, W1	28	= hirsutissimum
x sallieri		C	30-37	= x nitens
sanderianum	Coryopedilum – Polyantha	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	29	
sandy anum	Barbata (Barbatum)	O7	28	
sangchii	Parvisepalum	P3, T2	27	Probably a synonym for emersonii
sangii	Barbata (Barbatum)	B, B3, C, C1, K, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	
sanigii var. ayubianum	Barbata (Barbatum)	P3, P8, T2	28	= sangii var. sangii, ayubianum
x sanjiangianum		P3, P5, P6, P8, T, T2	30-37	= dianthum x barbigerum
sargentianum		W1	--	= Phragmipedium lindleyanum
x schlechterianum		P3, P8, T2	30-37	= callosum x wardii
schlimii		P4, W1	--	= Phragmipedium schlimii
schmidtianum	Barbata (Barbatum)	B2, W	28	= callosum var. schmidtianum
schoseri	Barbata (Barbatum)	B3, C, C1, K2, K3, P1, P2, P4, P5, P7	28	= baccanum , hookerae
x sedenii		W1		= Phragmipedium x sedenii
x shipwayae		C, H, P1, P2, P4, P5, P6, P8	30-37	= hookerae x dayanum
x siamense		C, H, P1, P2, P4, P5, P6, P8	30-37	= callosum x appletonianum
singchii	Parvisepalum	B3, K, P8, T2	27	= hangianum, emersonii
sinicum	Barbata (Barbatum)	B3, W1	28	= purpuratum
x sinovillosum		P5, P6, P8, T	30-37	= henryanum x villosum
smaragdinum	Paphiopedilum (Insigne)	W1	28	= tigrinum, markianum forma smaragdinum
socco		W1	--	= Catasetum socco, Catasetum trulla
spicerianum	Paphiopedilum (Insigne)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	
spicerianum fma. burkhardii	Paphiopedilum (Insigne)	P8	28	= spicerianum
spicerianum fma. immaculatum	Paphiopedilum (Insigne)	P7, P8, S1	28	Lost form – none known to exist

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
x spicero-venustum		C, H	30-37	= spicerianum x venustum
x spicerovenustum		P1, P2, P4, P5, P6, P8, W1	30-37	= spicerianum x venustum
sriwaniae	Barbata (Barbatum)	B3, C, P8	28	= argus
stenolobum	Paphiopedilum (Insigne)	K2, K3	28	= villosum, gratrixianum
stenolomum	Paphiopedilum (Insigne)	P8	28	
stonei	Coryopedilum – Polyantha	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	29	
stonei fma. alboflavum	Coryopedilum – Polyantha	P8, S1	29	
stonei subsp. stictopetalum	Coryopedilum - Polyantha	P8	29	= stonei
stonei var. album	Coryopedilum - Polyantha	P10	29	
stonei var. cannartae	Coryopedilum - Polyantha	O2	29	
stonei var. latifolium	Coryopedilum - Polyantha	P8	29	= platyphyllum
stonei var. platyphyllum	Coryopedilum - Polyantha	P1, P2	29	
stonei var. platytaenium	Coryopedilum - Polyantha	B, O2	29	
striatum	Coryopedilum – Polyantha	B3, C, C1, P3, P8, T2	29	= praestanswilhelminiae
sublaeve	Barbata (Barbatum)	B2, B3, C, C1, K1	28	= callosum var. sublaeve, birkii
sugiyamanum	Barbata (Barbatum)	B3, K, K2, K3, O1, P1, P2, P3, P4, P5, P8, T2	28	= hennisianum, platyphyllum, see O1 – appears to be a hybrid
sugiyamii (hort.)	Barbata (Barbatum)	P8	28	= platyphyllum
sukhakulii	Barbata (Barbatum)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	
sukhakulii fma. aureum	Barbata (Barbatum)	P7, P8, S1	28	
sukhakulii var. album	Barbata (Barbatum)	B1	28	
sulivongii	Paphiopedilum (Insigne)	K3	28	syn: barbigerum var. sulivongii
supardii	Coryopedilum – Polyantha	B, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	29	= devogeli, praestans
superbiens	Barbata (Barbatum)	B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	= ciliolare, veitchianum, stonei, syn: curtisii
superbiens forma. sanderae	Barbata (Barbatum)	P10	28	= ciliolare, veitchianum, stonei
superbiens var. curtisii	Barbata (Barbatum)	K2, K3, O1, P7	28	
superbiens var. curtisii fma. sanderae	Barbata (Barbatum)	P7, S1	28	
superbum	Coryopedilum - Polyantha	W	29	= rothschildianum
thaianum	Brachypetalum (Concoloria)	K, K2, K3, O1, O6, P1, P2, P3, P4, P5, P8, T2	27	

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
thailandense (hort.)	Barbata (Barbatum)	B2, B3, C1, H, K1, P8	28	= callosum var. sublaeve
tigrinum	Paphiopedilum (Insigne)	B3, C, K, K2, K3, O1, P1, P2, P4, P5, P8	28	syn: markianum
tigrinum f. huberae	Paphiopedilum (Insigne)	P3, P8, T2	28	= tigrinum
tigrinum fma. smarigdinum	Paphiopedilum (Insigne)	P8, S1	28	
tonsum	Barbata (Barbatum)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	
tonsum fma. alboviride	Barbata (Barbatum)	P7, P8, S1	28	
tonsum var braemii	Barbata (Barbatum)	O1, P8	28	= braemii
tonsum var superbum	Barbata (Barbatum)	C1	28	
topperi	Coryopedilum - Polyantha	B, C, C1, P8	29	= kolopakingii
tortipetalum	Barbata (Barbatum)	B3, C, H, P8	28	= bullenianum
tortisepalum	Barbata (Barbatum)	B3, C1	28	= bullenianum
tranliemianum	Paphiopedilum (Insigne)	P3, T2	28	
tranlienianum	Paphiopedilum (Insigne)	B, B3, K, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	= caobangense
tranlienianum forma alboviride	Paphiopedilum (Insigne)	P1, P2, P8, S1	28	
tranlienianum forma album	Paphiopedilum (Insigne)	K3	28	
tranlienianum var. saxosum	Paphiopedilum (Insigne)	P8	28	= tranlienianum
x trantuanii	Paphiopedilum (Insigne)	K2, K3, P8, W1	30-37	= x aspersum
tretonense	Coryopedilum - Polyantha	W	29	= rothschildianum
tridentatum	Barbata (Barbatum)	P8, W1	28	= appletonianum
trungkienii	Brachypetalum (Concoloria)	K3	27	
x undulatum		P5, P6, P8, T	30-37	= areeanum x spicerianum
urbanianum	Barbata (Barbatum)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	
urbanianum fma. alboviride	Barbata (Barbatum)	P7, P8, S1	28	
usitae	Barbata (Barbatum)	K	28	= baccanum, parnatanum
usitanum	Barbata (Barbatum)	O1, P1, P2, P8	28	= parnatanum
veitchianum	Barbata (Barbatum)	K1	28	= stonei, superbiens
vejvarutianum	Paphiopedilum (Insigne)	K, K2, K3, O1, P1, P2, P3, P4, P5, P8, T2	28	See O1 – originally thought to be a hybrid of barbigerum x herrmannii
x venusto-insigne		C, H	30-37	= insigne x venustum See: x venustoinsigne
x venustoinsigne		P1, P2, P4, P5, P6, P8, W1	30-37	= insigne x venustum
venustum	Barbata (Barbatum)	B, B2, B3, C, C1, H, K, K1, K2, O1, P1, P4, P5, P7, P8	28	
venustum fma. alba	Barbata (Barbatum)	O2	28	

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
venustum fma. albescens	Barbata (Barbatum)	P9	28	
venustum fma. album	Barbata (Barbatum)	O2	28	
venustum fma. aureum	Barbata (Barbatum)	O2	28	
venustum fma. measuresianum	Barbata (Barbatum)	P7, P8, S1	28	
venustum fma. pardinum	Barbata (Barbatum)	P7, P8	28	
venustum var. atratum	Barbata (Barbatum)	A	28	
venustum var. bhutanensis	Barbata (Barbatum)	P8	28	= venustum
venustum var. bruneoviridis	Barbata (Barbatum)	A	28	
venustum var. pynurslanum	Barbata (Barbatum)	A	28	
venustum var. qingyongii	Barbata (Barbatum)	A	28	
venustum var. rubrum	Barbata (Barbatum)	P8	28	= venustum
venustum var. teestanensis	Barbata (Barbatum)	P8	28	= venustum
victoria-mariae	Cochlopetalum	B2, B3, C, H, K, K2, K3, O1, P1, P2, P4, P5, P7, P8	29a	
victoria-regina	Cochlopetalum	B2, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5	29a	syn: chamberlainianum
victoria-regina var. kalinae	Cochlopetalum	K2, K3	29a	= kalinae
x vietnryanum		P1, P2, P3, P4, P5, P6, P8, T, T2	30-37	= gratrixianum x henryanum
vietnamense	Parvisepalum	B3, O, K, K2, K3, O1, P1, P2, P3, P4, P5, P7, P8, T2	27	= hilmari, mirabile
vietnamense fma. album	Parvisepalum	P8, S1	27	
villosum	Paphiopedilum (Insigne)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	syn: annamense, villosum var. annamense
villosum fma. aureum	Paphiopedilum (Insigne)	P8	28	
villosum fma. fuscroseum	Paphiopedilum (Insigne)		28	
villosum fma. measuresianum	Paphiopedilum (Insigne)		28	
villosum var. albo-marginatum	Paphiopedilum (Insigne)	O2	28	
villosum var. annamense	Paphiopedilum (Insigne)	K2, K3, P1, P2, P7, P8, S1	28	
villosum var. boxallii	Paphiopedilum (Insigne)	O1, P1, P2, P8	28	
villosum var. fuscroseum	Paphiopedilum (Insigne)	P8	28	= villosum
villosum var. fuscoviride	Paphiopedilum (Insigne)	P8	28	= villosum

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
villosum var. laichaunum	Paphiopedilum (Insigne)		28	
villosum var. villosum	Paphiopedilum (Insigne)		28	
viniferum	Barbata (Barbatum)	K, K2, K3, P3, P5	28	= crossii f. viniferum and callosum var. viniferum
violascens	Barbata (Barbatum)	B, B2, B3, C, C1, H, K, K2, K3, O1, P1, P2, P4, P5, P8	28	
violascens var. bougainvilleanum	Barbata (Barbatum)	K2, K3	28	= bougainvilleanum
violascens var. gautierense	Barbata (Barbatum)	P8	28	= violascens
violascens var. saskianum	Barbata (Barbatum)	K2, K3	28	= bougainvilleanum var. saskianum
virens	Barbata (Barbatum)	B2, C, C1, H, K1	28	= javanicum var. virens
vittatum		W1	--	= Phragmipedium vittatum
volonteanum	Barbata (Barbatum)	B2, B3, C, C1, H, O1, P7	28	= hookerae var. volonteanum
volonteanum fma. sandowii	Barbata (Barbatum)	P7	28	
wallisii		W1	--	= Phragmipedium warszewiczianum
wardii	Barbata (Barbatum)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	
wardii fma. alba	Barbata (Barbatum)	O2	28	
wardii fma. alboviride	Barbata (Barbatum)	P7, P8, S1	28	
wardii fma. album	Barbata (Barbatum)	O2	28	
wardii fma. atrobrunneum	Barbata (Barbatum)	K3	28	
wardii fma. ying-xiangii	Barbata (Barbatum)	P8	28	= wardii
wardii var. teestaensis	Barbata (Barbatum)	P1, P2, S1	28	
warszewiczii		W1	--	= Phragmipedium warszewiczianum
warszewiczianum		W1	--	= Phragmipedium warszewiczianum
warszewiczii		I1	--	= Phragmipedium warszewiczianum
wenshanense	Brachypetalum (Concoloria)	K3, O6, P3, P4, P5, T2	27	Now considered a good species by CITES and KEW WCSP
x wenshanense		P8	30-37	= x conco-bellatulum
x wenshanense fma. album		P8	30-37	= bellatulum x concolor
wentworthianum	Barbata (Barbatum)	B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8	28	
wilhelminae	Coryopedilum – Polyantha	W1, K2, P2, P4, P5, P7, P8	29	= praestans subsp. wilhelminae, glanduliferum var. wilhelminae
wilhelminiae	Coryopedilum - Polyantha	B2, B3, C, C1, H, K, O1, P1	29	= praestans subsp. wilhelminae, glanduliferum var. wilhelminae
wolterianum	Barbata (Barbatum)	B2, C, C1, H, K, K1, O1	28	= appletonianum
x affine	--	B2, C, H, K, P1, P2	30-37	= villosum x appletonianum
x ang thong var. album	Brachypetalum	P10	27	= godefroyae, niveum var. ang-thong

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
x annamense	--	C	30-37	artificial hybrid - (insigne x villosum x (superbum x spicerianum)) - http://www.tandfonline.com/doi/pdf/10.1080/00378941.1924.10836949
x ashburtoniae	--	W1	30-37	= barbatum x insigne
x aspersum	--	P3, P4, P5, P6, P8, T2, W1	30-37	= barbigerum x henryanum
x beyrodtianum	--	C, P4	30-37	nat. hyb. of unknown parentage
x burbridgei	--	C, H, P1, P2, P4, P5, P6, P8	30-37	= dayanum x javanicum var. virens
x conco-bellatulum	--		30-37	= concolor x bellatulum
x cribbii	-- see x affine	P1, P2, P4, P5, P6, P7, P8, T	30-37	= appletonianum x villosum
x dalatense	--	P1, P2, P4, P5, P6, P8, W1	30-37	= callosum x villosum var. annamense
x dixlerianum	--	K2, P1, P2, P4, P6, W1	30-37	= callosum x wardii
x expansum	--	C, P1, P2, P4, P5, P6, P8	30-37	= hennisianum x philippinense
x fanaticum	--	C, O1, P1, P2, P4, P5, P6, P8	30-37	= malipoense x micranthum
x frankeanum	--	C, P1, P2, P4, P5, P6, P8	30-37	= superbiens var. curtisii x tonsum
x glanzii	--	P3, P4, P5, P6, P8, T, T2	30-37	= emersonii x micranthum
x gowerianum	--	P6	30-37	= curtisii x lawrenceanum
x gowerianum f album	--	P6	30-37	= curtisii x lawrenceanum
x greyi	--	P7	30-37	= godefroyae x niveum
x greyi f. album	--	K	30-37	= godefroyae x niveum
x grussianum	--	P1, P2, P3, P4, P5, P6, P8, T, T2	30-37	= hirsutissimum var. esquirolei x parishii var. dianthum or hirsutissimum x villosum
x grussii	--	P8	30-37	= x nitens
x harrisianum	--	P6	30-37	= barbatum x villosum
x herrmannii	Paphiopedilum (Insigne)	C, K3, O1, P1, P2, P4, P5, P6	30-37	helenae x hirsutissimum var. esquirolei
x holdenii	--	P8, W1	30-37	= callosum x Maudiae
x huangrongshuanum	--	P3, P5, P6, P8, T, T2	30-37	= dianthum x gratrixianum
x kimballianum	--	C, P1, P2, P4, P5, P6, P8	30-37	= rothschildianum x dayanum
x lathamianum	--	B4, P6	30-37	= spicerianum x villosum
x leeanum	--	C	30-37	= spicerianum x insigne
x littleanum	--	C, P1, P2, P4, P5, P6, P8	30-37	= dayanum x lawrenceanum
x luchiense	--	T	30-37	= spicerianum x villosum, See: x lushuiense
x lushuiense	--	P5, P6, P8, W1	30-37	= spicerianum x villosum
x mattesii	--	C, P1, P2, P4, P5, P6, P8	30-37	= barbatum x bullenianum
x mindanaense	-	P3, T2	30-37	= anitum x superbiens
x mohrianum	--	B3, C	30-37	= bullenianum var. celebense x javanicum
x nitens	--	C, P3, P5, P6, P8, T2	30-37	= villosum x insigne
x pereirae	--	C, P1, P2, P4, P6	30-37	= niveum x exul

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
x petchleungianum	--	P1, P2, P3, P4, P5, P6, P8, T, T2	30-37	= dianthum x villosum
x powellii, x powelii	--	C, P1, P2, P3, P4, P5, P6, P8, P8, T2	30-37	= callosum x exul
x pradhanii	--	C, H, P1, P2, P4, P5, P6	30-37	= fairrieianum x venustum
x sallieri	--	C	30-37	= x nitens
x sanjiangianum	--	P3, P5, P6, P8, T, T2	30-37	= dianthum x barbigerum
x schlechterianum	--	P3, P8, T2	30-37	= callosum x wardii
x sedenii		W1	--	= Phragmipedium x sedenii
x shipwayae	--	C, H, P1, P2, P4, P5, P6, P8	30-37	= hookerae x dayanum
x siamense	--	C, H, P1, P2, P4, P5, P6, P8	30-37	= callosum x appletonianum
x sinovillosum	--	P5, P6, P8, T	30-37	= henryanum x villosum
x spicerovenustum	--	P1, P2, P4, P5, P6, P8, W1	30-37	= spicerianum x venustum
x spicero-venustum	--	C, H	30-37	= spicerianum x venustum
x trantuanii	Paphiopedilum (Insigne)	K2, K3, P8, W1	30-37	= x aspersum
x undulatum	--	P5, P6, P8, T	30-37	= areeanum x spicerianum
x venustoinsigne	--	P1, P2, P4, P5, P6, P8, W1	30-37	= insigne x venustum
x venusto-insigne	--	C, H	30-37	= insigne x venustum, See: x venustoinsigne
x vietenryanum	--	P1, P2, P3, P4, P5, P6, P8, T, T2	30-37	= gratrixianum x henryanum
x wenshanense	--	K, O1, P1, P2, P8, S1, T	30	= x conco-bellatulum
x wenshanense fma. album	--	P8	30	= bellatulum x concolor
x wuliangshanicum	--	P8	30-37	= gratrixianum x stenolomum
x yingjiangense	--	P4, P5, P6, P8, T	30-37	= villosum x wardii or spicerianum x wardii
x yunnanicum	-- see x affine	P8, W1	30-37	= x cribbii
xerophyticum		W1	--	= Mexipedium xerophyticum
yapianum	Cochlopetalum	W, H	29a	= Jogjiae (glaucophyllum x glanduliferum)
zieckianum	Barbata (Barbatum)	B2, C, C1, O1, P8	28	= papuanum
zulhermanianum	Barbata (Barbatum)	K3, O3, O5	28	New

Sources

A	?	?
B	Dr. G.J. Braem	The Genus Paphiopedilum - Natural History And Cultivation - Vol. 1 & Vol. 2 - 1998/99
B1	Lance A. Birk	The Paphiopedilum Grower's Manual - 1983
B2	Keith S. Bennett	Genus Paphiopedilum – The Tropical Asiatic Slipper Orchids - 1984
B3	Braem & Chiron	Paphiopedilum - 2003
B4		http://www.biolib.cz/en/taxonsubtaxa/id99977/?subtaxcat=51
C	Phillip Cribb	The Genus Paphiopedilum - Second Edition - 1998
C1	Catherine Cash	The Slipper Orchids - 1991
C2	Phillip Cribb	Slipper Orchids Of Borneo - 1997
G	Olaf Gruss	http://kdb.kew.org/kdb/detailedresult.do?id=324178
H	E. Hennessy & T. Hedge	The Slipper Orchids - 1989
I	Leonid Averyanov	http://www.ruffordsmallgrants.org/rsg/projects/leonid_averyanov
I1	IPNI	International Plant Names Index

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
K	H. Koopowitz	Tropical Slipper Orchids – Paphiopedilum and Phragmipedium Species and Hybrids - 2008		
K1	H. Koopowitz & N. Hasegawa	Novelty Slipper Orchids - 1989		
K2	H. Koopowitz	An updated, Annotated Checklist of The Genus Paphiopedilum – Orchid Digest Vol. 76-4 Oct.-Dec. 2012		
K3	H. Koopowitz	An Annotated Checklist of Paphiopedilum Species – Orchid Digest Vol. 82-4 Oct.-Dec. 2018		
O	L.V. Averyanov	Orchid Digest - Vol. 65(4) - Oct., Nov., Dec., 2001		
O1	Oakeley and Bream	Paphiopedilum Species The Essential Guide - 2011		
O3	Olaf Gruss et al	Orchid Digest - Vol. 81(3) - Jul., Aug., Sep., 2017 pgs 132-138		
O4	Olaf Gruss	Orchid Digest - Vol. 81(3) - Jul., Aug., Sep., 2017 pgs 160-173		
O5	Cavestro & Gruss	Orchideen Journal – Vol. 5-3 - 2017		
O6	Harold Koopowitz	Orchid Digest - Vol. 82(1) - Jan., Feb., Mar., 2018 pgs 10-15		
O7	Cavestro & Benk	Orchid Digest - Vol. 86(3) - Jul., Aug., Sep., 2022 pgs 142		
P1		http://hoalancaycanh.com/diendan/archive/index.php/t-4358.html		
P2		http://agusorchids.blogspot.ca/2011/06/paphiopedilum.html		
P3		http://apoc12.com/file/contest_th.pdf		
P4		http://www.theplantlist.org/browse/A/Orchidaceae/Paphiopedilum/		
P5		http://globalspecies.org/ntaxa/112815		
P6		http://www.biolib.cz/en/taxonsubtaxa/id99977/?subtaxcat=51		
P7		http://www.slipperorchids.info/taxonomy/bctaxa.html		
P8		http://slipperorchids.info/paphdescriptions/index.html		
R	R.N. Rentoul	Growing Orchids – Cymbidiums and Slippers, 1980		
S1		http://slipperorchids.info/paphspecies/index.html		
T	Holger Perner	Paphiopedilum Taxa of China, AOS Orchids, January 2012, page 18		
T2	Dr. Tanaka	Website: http://www.orchid.or.jp/orchid/people/tanaka/orchid/org/newpaph.html		
W	Wellington O.S.	Paphiopedilums - A Cultural Guide – 1987		
W1	RBG – KEW	World Checklist of Selected Plant Families		

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Name	Section	Source	Class	= synonym or other name
------	---------	--------	-------	-------------------------

London Orchid Society - Show Schedule - Paphiopedilum Class Descriptions	
27 – 29a - Paphiopedilum species	
27	Paphiopedilum species - Parvisepalum, Brachypetalum (Concoloria) , and Pumilum sections
28	Paphiopedilum species - Paphiopedilum (Insigne) and Barbatum sections
29	Paphiopedilum species - Coryopedilum and Pardalopetalum sections (multifloral)
29a	Paphiopedilum species - Cochlopetalum section (sequentially flowering)
30 – 37 - Paphiopedilum hybrids	
30	Parvisepalum, Brachypetalum (Concoloria) , and Pumilum hybrids
31	Maudiae, or cruciform type white/pink/green/yellow
32	Maudiae or cruciform type other colours except vini colours
33	Multifloral
34	Sequential flowering
35	Full round shape, white/pink/green/yellow
36	Full round shape, other colours except vini colours
37	Vinicolours