

































Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>acmodontum</p>  <p>Section: Barbata (Barbatum) Source: B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28</p>	<p>adductum</p>  <p>Section: Coryopedilum - Polyantha Source: B, B2, B3, C, C1, C3, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29</p>	<p>adductum var. anitum</p>  <p>Section: Coryopedilum - Polyantha Source: K2, K3 P5, P8, S1 Class: 29</p>	<p>aestivum</p>  <p>Section: Barbata (Barbatum) Source: B3, P8, T2, W1 Class: 28 = purpuratum</p>	<p>affine</p>  <p>Section: Paphiopedilum (Insigne) Source: B1, B3, K2, P5, P8, W1 Class: 28 = gratrixianum</p>	<p>x affine</p>  <p>Section: -- Source: B2, C, H, K, P1, P2 Class: 30-37 villosum x appletonianum</p>
<p>agusii</p>  <p>Section: Barbata (Barbatum) Source: K3, O3, O5 Class: 28</p>	<p>agusii f. alboviride, album</p>  <p>Section: Barbata (Barbatum) Source: K3 Class: 28</p>	<p>amabile</p>  <p>Section: Barbata (Barbatum) Source: B2, C, C1, H, O1, P8 Class: 28 = bullenianum</p>	<p>amabilis</p>  <p>Section: Barbata (Barbatum) Source: C1, K Class: 28 = bullenianum</p>	<p>amboinensis</p>  <p>Section: Barbata (Barbatum) Source: W Class: 28 = celebesensis</p>	<p>ambonensis</p>  <p>Section: Barbata (Barbatum) Source: W Class: 28 = amboinensis celebesensis</p>












Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>ang thong</p>  <p>Section: Brachypetalum Source: B2, C, H, K, P8 Class: 27 = godefroyae, niveum var. ang-thong</p>	<p>x ang thong var. album</p>  <p>Section: Brachypetalum Source: P10 Class: 27 = godefroyae, niveum var. ang-thong</p>	<p>angustatum</p>  <p>Section: Parvisepalum Source: P3, P8, T2, W1 Class: 27 = malipoense var. jackii, malipoense var. angustatum, hiepii</p>	<p>angustifolium</p>  <p>Section: Barbata (Barbatum) Source: P3, P8, T2, W1 Class: 28 = appletonianum</p>	<p>anitum</p>  <p>Section: Coryopedilum - Polyantha Source: B3, K, O1, P3, P7, T2 Class: 29 = adductum var. anitum</p>	<p>x annamense</p> <p>Section: -- Source: C Class: 30-37 = artificial hybrid (insigne x villosum x (superbum x spicerianum)) - http://www.tandfonline.com/doi/pdf/10.1080/00378941.1924.10836949</p>
<p>appletonianum</p>  <p>Section: Barbata (Barbatum) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28 = cerveranum, hainanense, hainanensis, hookerae ssp. appletonianum, wolterianum</p>	<p>appletonianum fma. album</p>  <p>Section: Barbata (Barbatum) Source: P8 Class: 28</p>	<p>appletonianum fma. aureum</p>  <p>Section: Barbata (Barbatum) Source: O2 Class: 28</p>	<p>appletonianum fma. immaculatum</p>  <p>Section: Barbata (Barbatum) Source: P7, P8, S1 Class: 28 = appletonianum</p>	<p>appletonianum var. hainanense</p>  <p>Section: Barbata (Barbatum) Source: P7, P8, S1 Class: 28</p>	<p>appletonianum var. poyntzianum</p> <p>Section: Barbata (Barbatum) Source: P7 Class: 28</p>










Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>aranianum</p>  <p>Section: Barbata (Barbatum) Source: O1, W1 Class: 28 The plant list (http://www.theplantlist.org/tpl/record/kew-458918) says this is an unresolved name. = dianthum or a hybrid</p>	<p>arainianum</p>  <p>Section: Barbata (Barbatum) Source: O1, W1 Class: 28 The plant list (http://www.theplantlist.org/tpl/record/kew-458918) says this is an unresolved name. = dianthum or a hybrid</p>	<p>areeanum</p>  <p>Section: Paphiopedilum (Insigne) Source: K2, K3, P5, T Class: 28 = rhizomatosum</p>	<p>× areeanum</p>  <p>Section: -- Source: P1, P2, P3, P4, P8, W1 Class: 30-37 = barbigerum × villosum var. annamense</p>	<p>argus</p>  <p>Section: Barbata (Barbatum) Source: B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28 = sriwaniiae</p>	<p>armeniicum</p>  <p>Section: Parvisepalum Source: B, B2, B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 27</p>
<p>armeniicum fma. markii</p>  <p>Section: Parvisepalum Source: P1, P2, P7, P8 Class: 27</p>	<p>armeniicum var. parviflorum</p> <p>Section: Parvisepalum Source: P8 Class: 27 = armeniicum</p>	<p>armeniicum var. undulatum</p> <p>Section: Parvisepalum Source: P8 Class: 27 = armeniicum</p>	<p>x ashburtoniae</p>  <p>Section: -- Source: W1 Class: 30-37 = barbatum x insigne</p>	<p>x aspersum</p>  <p>Section: -- Source: P3, P4, P5, P6, P8, T2, W1 Class: 30-37 = barbigerum x henryanum</p>	<p>ayubianum</p>  <p>Section: Barbata (Barbatum) Source: K3 Class: 28 = sangii</p>













Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>ayubii</p>  <p>Section: Coryopedilum - Polyantha Source: B3, P8 Class: 29 = gigantifolium</p>	<p>baccanum</p>  <p>Section: Barbata (Barbatum) Source: B3, K, P8 Class: 28 = schoseri, usitae, parnatanum</p>	<p>barbatum</p>  <p>Section: Barbata (Barbatum) Source: B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28 = nigratum</p>	<p>barbatum var. nigratum</p>  <p>Section: Barbata (Barbatum) Source: P9 Class: 28</p>	<p>barbigerum</p>  <p>Section: Paphiopedilum (Insigne) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8, T2 Class: 28 = insigne var. barbigerum</p>	<p>barbigerum fma. album</p>  <p>Section: Paphiopedilum (Insigne) Source: O2 Class: 28</p>
<p>barbigerum fma. aspersum</p>  <p>Section: Paphiopedilum (Insigne) Source: K3 Class: 28</p>	<p>barbigerum fma. aureum</p>  <p>Section: Paphiopedilum (Insigne) Source: K3, P7, P8, S1 Class: 28</p>	<p>barbigerum fma. chlorophyllum</p> <p>Section: Paphiopedilum (Insigne) Source: P8 Class: 28 = bellatulum</p>	<p>barbigerum var. coccineum</p>  <p>Section: Paphiopedilum (Insigne) Source: O2 Class: 28</p>	<p>barbigerum var. lockianum</p>  <p>Section: Paphiopedilum (Insigne) Source: P8, T2 Class: 28 = coccineum</p>	<p>barbigerum var. sulivongii</p>  <p>Section: Paphiopedilum (Insigne) Source: P3, T2 Class: 28</p>












Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>bellatulum</p>  <p>Section: Brachypetalum (Concoloria) Source: B, B2, B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 27</p>	<p>bellatulum fma. album</p>  <p>Section: Brachypetalum Source: K3, P7, P8, S1 Class: 27</p>	<p>besseae</p> <p>Section: -- Source: W1 Class: -- = Phragmipedium besseae</p>	<p>x beyrodtianum</p> <p>Section: -- Source: C, P4 Class: 30-37 nat. hyb. of unknown parentage</p>	<p>birkii</p>  <p>Section: Barbata (Barbatum) Source: B1, B2, B3, P8 Class: 28 = callosum subsp. sublaeve</p>	<p>bodegomensis</p>  <p>Section: Coryopedilum - Polyantha Source: B3 Class: 29 = praestans</p>
<p>bodegomii</p>  <p>Section: Coryopedilum - Polyantha Source B2, B3, C1, H, K, P8 Class: 29 = praestans, glanduliferum var. wilhelminiae, glanduliferum var. gardineri, praestans var. bodegomii</p>	<p>boissierianum</p> <p>Section: -- Source: W1 Class: -- = Phragmipedium boissierianum</p>	<p>bougainvilleanum</p>  <p>Section: Barbata (Barbatum) Source: B, B2, B3, C, C1, H, K2, O1, P1, P2, P4, P5, P7, P8 Class: 28 = violascens</p>	<p>bougainvilleanum forma album</p>  <p>Section: Barbata (Barbatum) Source: P10 Class: 28</p>	<p>bougainvilleanum var. saskianum</p>  <p>Section: Barbata (Barbatum) Source: P3, P8, T2 Class: 28 See: bougainvilleanum var. saskianum</p>	<p>bougainvilleanum var. saskianum</p>  <p>Section: Barbata (Barbatum) Source: K2, P1, P2 Class: 28 = violascens</p>










Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>boxallii</p>  <p>Section: Paphiopedilum (Insigne) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P7 Class: 28 = dilectum, villosum var. boxallii</p>	<p>boxallii f. atratum</p>  <p>Section: Paphiopedilum (Insigne) Source: K3 Class: 28</p>	<p>braemii</p>  <p>Section: Barbata (Barbatum) Source: B, B3, C, K, K2, K3, O1, P5, P7 Class: 28 = tonsum var. braemii</p>	<p>brevilabium</p>  <p>Section: Barbata (Barbatum) Source: P8, W1 Class: 28 = wardii</p>	<p>bullenianum</p>  <p>Section: Barbata (Barbatum) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28 = amabile, bullenianum, hookerae var. bullenianum, johorensis, linii, tortipetalum, tortisepalum</p>	<p>bullenianum var. celebesense</p>  <p>Section: Barbata (Barbatum) Source: P1, P2, P7, P8, S1 Class: 28</p>
<p>bullenianum var. johorensis</p>  <p>Section: Barbata (Barbatum) Source: P7, P8, S1 Class: 28</p>	<p>bungebelangii</p>  <p>Section: Barbata (Barbatum) Source: K3, O3, O5 Class: 28</p>	<p>burbidgei</p>  <p>Section: Barbata (Barbatum) Source: B3, C1 Class: 28 = dayanum var. burbidgei</p>	<p>x burbidgei</p>  <p>Section: -- Source: C, C1, H, P1, P2, P4, P5, P6, P8 Class: 30-37 = dayanum x javanicum var. virens</p>	<p>burmanicum</p>  <p>Section: Barbata (Barbatum) Source: P8, W1 Class: 28 = wardii</p>	<p>callosum</p>  <p>Section: Barbata (Barbatum) Source: B2, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P8 Class: 28 = sublaeve, thailandense</p>













Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>callosum fma. album</p>  <p>Section: Barbata (Barbatum) Source: O2 Class: 28</p>	<p>callosum fma. vinicolor</p>  <p>Section: Barbata (Barbatum) Source: K3 Class: 28</p>	<p>callosum fma. viridiflorum</p>  <p>Section: Barbata (Barbatum) Source: P8, S1 Class: 28</p>	<p>callosum var. angustisepala</p> <p>Section: Barbata (Barbatum) Source: P8 Class: 28 = callosum</p>	<p>callosum var. potentianum</p>  <p>Section: Barbata (Barbatum) Source: P1, P2, P8, S1 Class: 28</p>	<p>callosum var. sublaeve</p>  <p>Section: Barbata (Barbatum) Source: K2, K3, P8 Class: 28 = burkii, sublaeve, thailandense</p>
<p>callosum var. sublaeve fma. album</p>  <p>Section: Barbata (Barbatum) Source: S1 Class: 28</p>	<p>callosum var. viniferum</p>  <p>Section: Barbata (Barbatum) Source: P8, S1 Class: 28</p>	<p>callosum var. warnerianum</p>  <p>Section: Barbata (Barbatum) Source: K2, K3, P1, P2 Class: 28 = callosum var. sublaeve</p>	<p>canhii</p>  <p>Section: Barbata (Barbatum)(Megastaminodium) Source: I, W1, K2, K3, P3, P5, P8, T2 Class: 28 Note: G.J. Braem puts it in new subgenus Megastaminodium – see http://www.orchiddigest.com/orchid-digest-75-3.html</p>	<p>canhii var. funingense</p>  <p>Section: Barbata (Barbatum) Source: P8, T2 Class: 28 = canhii</p>	<p>caobangense</p>  <p>Section: Paphiopedilum (Insigne) Source: B3, P8, W1 Class: 28 = tranlienianum</p>











Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>caricinum</p> <p>Section: Source: W1 Class: -- = Phragmipedium caricinum</p>	<p>caudatum</p> <p>Section: Source: W1 Class: -- = Phragmipedium cardatum</p>	<p>celebesense</p>  <p>Section: Barbata (Barbatum) Source: B3 Class: 28 = bullenianum var. celebesense</p>	<p>celebesensis</p>  <p>Section: Barbata (Barbatum) Source: B2, B3, C, C1, H Class: 28 = bullenianum var. celebesense</p>	<p>ceramensis</p>  <p>Section: Barbata (Barbatum) Source: C2, P8 Class: 28 = bullenianum var. celebesense</p>	<p>cerveranum</p>  <p>Section: Barbata (Barbatum) Source: B, B3, K, O1, P3, P8, T2 Class: 28 = appletonianum, robinsonii</p>
<p>cerveranum fma. viride</p>  <p>Section: Barbata (Barbatum) Source: P7 Class: 28 = appletonianum, robinsonii</p>	<p>chamberlainianum</p>  <p>Section: Cochlopetalum Source: B2, B3, C, H, K, K1, O1, P7, P8 Class: 29a = victoria-regina subsp. chamberlainianum</p>	<p>chamberlainianum var. flavescens</p>  <p>Section: Cochlopetalum Source: P8 Class: 29a = primulinum fma. purpurascens</p>	<p>chamberlainianum var. flavum</p>  <p>Section: Cochlopetalum Source: P8 Class: 29a = primulinum</p>	<p>chamberlainianum var. kalinae</p>  <p>Section: Cochlopetalum Source: P8, S1 Class: 29a</p>	<p>chamberlainianum var. latifolium</p> <p>Section: Cochlopetalum Source: P8 Class: 29a = chamberlainianum</p>












Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>chaoi</p>  <p>Section: Paphiopedilum (Insigne) Source: B3, K, P3, P8, T2 Class: 28 = henryanum f. chaoi</p>	<p>charlesworthii</p>  <p>Section: Paphiopedilum (Insigne) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O, B, B2, B3, C, C1, H, K, K1, K2, O1, P1, P2, P4, P5, P7, P81 Class: 28</p>	<p>charlesworthii fma. album</p>  <p>Section: Paphiopedilum (Insigne) Source: K3 Class: 28</p>	<p>charlesworthii fma. sandowiae</p>  <p>Section: Paphiopedilum (Insigne) Source: P7, P8, S1 Class: 28</p>	<p>chiwuanum</p>  <p>Section: Paphiopedilum (Insigne) Source: B2, B3, C, C1, H Class: 28 = hirsutissimum var. esquirolei</p>	<p>christensonianum</p>  <p>Section: Paphiopedilum (Insigne) Source: K3 Class: 28 syn: gratixianum var. christensonianum</p>
<p>ciliolare</p>  <p>Section: Barbata (Barbatum) Source: B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28</p>	<p>ciliolare semialbum</p>  <p>Section: Barbata (Barbatum) Source: P10 Class: 28</p>	<p>coccineum</p>  <p>Section: Paphiopedilum (Insigne) Source: B3, K, K2, K3, O1, P3, P5, P7, P8, T2 Class: 28 = barbigerum var. coccineum, barbigerum var. loekianum</p>	<p>concolor</p>  <p>Section: Brachypetalum (Concoloria) Source: B, B2, B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 27</p>	<p>concolor forma album</p>  <p>Section: Brachypetalum Source: OrchidWiz Class: 27</p>	<p>concolor forma sulphurinum</p>  <p>Section: Brachypetalum Source: P3, P8, T2 Class: 27</p>











Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>concolor subsp. hennisianum</p>  <p>Section: Brachypetalum Source: B1 Class: 27 = concolor</p>	<p>concolor subsp. regnieri</p>  <p>Section: Brachypetalum Source: B1 Class: 27 = concolor</p>	<p>concolor var. album</p>  <p>Section: Brachypetalum Source: P8 Class: 27 = concolor fma. sulphurinum</p>	<p>concolor var. chlorophyllum</p>  <p>Section: Brachypetalum Source: O2 Class: 27</p>	<p>concolor var. dahuaense</p> <p>Section: Brachypetalum Source: P8 Class: 27 = concolor</p>	<p>concolor var. immaculatum</p>  <p>Section: Brachypetalum Source: P8 Class: 27 = concolor fma. sulphurinum</p>
<p>concolor var. longipetalum</p>  <p>Section: Brachypetalum Source: K2, P3, P8, T2 Class: 27 Now new species josianae</p>	<p>concolor var. trungkieni</p>  <p>Section: Brachypetalum (Concoloria) Source: K3 Class: 27</p>	<p>x conco-bellatulum</p>  <p>Section: -- Source: Class: 30-37 = concolor x bellatulum</p>	<p>cornuatum</p>  <p>Section: Paphiopedilum (Insigne) Source: K2, K3, P5, P8, W1 Class: 28 = villosum, WCSP accepted name</p>	<p>cornuatum</p>  <p>Section: Paphiopedilum (Insigne) Source: T2 Class: 28 See: cornuatum</p>	<p>cothurnum</p> <p>Section: Source: W1 Class: -- = Catasetum macrocarpum</p>













Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p><i>x cribbii</i></p>  <p>Section: -- see <i>x affine</i> Source: P1, P2, P4, P5, P6, P7, P8, T Class: 30-37 = <i>appletonianum x villosum</i></p>	<p><i>crossii</i></p>  <p>Section: Barbata (Barbatum) Source: B3, K O1, P7 Class: 28 Early name for <i>callosum</i>, <i>birkii</i>, <i>reflexum</i>, <i>regnieri</i>, <i>sublaeve</i>, <i>thailandense</i></p>	<p><i>crossii fma. viniferum</i></p>  <p>Section: Barbata (Barbatum) Source: P7 Class: 28 = <i>viniferum</i></p>	<p><i>crossii fma. viridiflorum</i></p>  <p>Section: Barbata (Barbatum) Source: P7 Class: 28 = <i>callosum</i></p>	<p><i>crossii var. potentianum</i></p>  <p>Section: Barbata (Barbatum) Source: P7 Class: 28 = <i>callosum</i></p>	<p><i>crossii var. sublaeve</i></p>  <p>Section: Barbata (Barbatum) Source: P7 Class: 28 = <i>callosum</i></p>
<p><i>curtisii</i></p>  <p>Section: Barbata (Barbatum) Source: B2, C, C1, H, K1, P8 Class: 28 = <i>superbiens</i> var. <i>curtisii</i></p>	<p><i>curtisii fma. sanderae</i></p>  <p>Section: Barbata (Barbatum) Source: P8 Class: 28</p>	<p><i>czerwiakowianum</i></p> <p>Section: Source: W1 Class: -- = <i>Phragmipedium boissierianum</i> var. <i>czerwiakowianum</i></p>	<p><i>x dalatense</i></p>  <p>Section: -- Source: P1, P2, P4, P5, P6, P8, W1 Class: 30-37 <i>callosum x villosum</i> var. <i>annamense</i></p>	<p><i>daoense</i></p>  <p>Section: Paphiopedilum (Insigne) Source: K3 Class: 28 syn: <i>gratrixianum</i> var. <i>daoense</i></p>	<p><i>dayanum</i></p>  <p>Section: Barbata (Barbatum) Source: B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28 = <i>burbidgei</i>, <i>petri</i></p>










Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>dayanum var. petri</p>  <p>Section: Barbata (Barbatum) Source: C1 Class: 28 = burbidgei, petri</p>	<p>delenatii</p>  <p>Section: Parvisepalum Source: B, B2, B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 27</p>	<p>delenatii forma alba</p>  <p>Section: Parvisepalum Source: O2 Class: 27</p>	<p>delenatii fma album</p>  <p>Section: Parvisepalum Source: O2 Class: 27</p>	<p>delenatii fma. albidum</p> <p>Section: Parvisepalum Source: P7 Class: 27 See delenatii fma. albidum</p>	<p>delenatii fma. albidum</p>  <p>Section: Parvisepalum Source: K3 P8, S1 Class: 27</p>
<p>delenatii fma. lutescens</p> <p>Section: Parvisepalum Source: P8 Class: 27 = delenatii</p>	<p>delenatii forma vinicolor</p>  <p>Section: Parvisepalum Source: K3, P3, P8, T2 Class: 27</p>	<p>delenatii var. dundele</p>  <p>Section: Parvisepalum Source: O2 Class: 27</p>	<p>delicatum</p>  <p>Section: Paphiopedilum (Insigne) Source: P8 Class: 28 = helenae</p>	<p>denisii</p>  <p>Section: Barbata (Barbatum) Source: B3, C1, P8 Class: 28 = wentworthianum</p>	<p>densissimum</p>  <p>Section: Paphiopedilum (Insigne) Source: K3, P8, W1 Class: 28 = villosum var. densissimum</p>











Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>devogelii</p>  <p>Section: Coryopedilum - Polyantha Source: B3, P8. W Class: 29 = supardii</p>	<p>dexlerianum</p>  <p>Section: Barbata (Barbatum) Source: P3 Class: 28</p>	<p>dianthum</p>  <p>Section: Pardalopetalum – Polyantha Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29 = parishii var. dianthum</p>	<p>dianthum fma. album</p>  <p>Section: Pardalopetalum – Polyantha Source: K3 Class: 29</p>	<p>dianthum var. album</p>  <p>Section: Pardalopetalum – Polyantha Source: P8, S1 Class: 29</p>	<p>dilectum</p>  <p>Section: Paphiopedilum (Insigne) Source: B3, C Class: 28 = boxallii, villosum var. boxallii</p>
<p>delicatum</p>  <p>Section: Paphiopedilum (Insigne) Source: B3, K Class: 28 = helenae forma delicatum</p>	<p>dixlerianum</p>  <p>Section: Barbata (Barbatum) Source: B3, K, P5, P7, P8, T2 Class: 28 = sukhakulii</p>	<p>x dixlerianum</p>  <p>Section: -- Source: K2, P1, P2, P4, P6, W1 Class: 30-37 = callosum x wardii</p>	<p>dodyanum</p>  <p>Section: Cochlopetalum Source: K3, O3, O5 Class: 29a</p>	<p>dollii</p>  <p>Section: Paphiopedilum (Insigne) Source: B3, C, P8 Class: 28 = henryanum</p>	<p>druryi</p>  <p>Section: Paphiopedilum (Insigne) Source B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28</p>










Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>ecuadorensis</p> <p>Section: Source: W1 Class: -- = Phragmipedium pearcei</p>	<p>elliottianum</p>  <p>Section: Coryopedilum - Polyantha Source: P8, W1 Class: 29 = rothschildianum</p>	<p>elliottianum</p>  <p>Section: Coryopedilum - Polyantha Source: B, B3, C, C1, H, K1, K2, O1, P7 Class: 29 = rothschildianum var. elliottianum</p>	<p>emersonii</p>  <p>Section: Parvisepalum (Emersoniana) Source: B, B3, C, H, K, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 27 syn: huonglanae</p>	<p>emersonii fma. album</p>  <p>Section: Parvisepalum Source: P8, S1 Class: 27</p>	<p>emersonii fma. huonglanae</p>  <p>Section: Parvisepalum Source: O4 Class: 27</p>
<p>emersonii fma. luteum</p> <p>Section: Parvisepalum Source: P8, S1 Class: 27</p>	<p>emersonii var. angustipetalum</p>  <p>Section: Parvisepalum Source: O4 Class: 27</p>	<p>emersonii var. guangxiensis</p>  <p>Section: Parvisepalum Source: O4 Class: 27</p>	<p>emersonii var. kwangnanensis</p>  <p>Section: Parvisepalum Source: O4 Class: 27</p>	<p>epidendricum</p> <p>Section: Source: W1 Class: -- = Eulophia alta</p>	<p>esquirolei</p>  <p>Section: Paphiopedilum (Insigne) Source: B, B1, B2, B3, C, C1, H, K1, O1, P7 Class: 28 = chiwuanum, hirsutissimum var. esquirolei</p>












Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>esquirolei forma album</p>  <p>Section: Paphiopedilum (Insigne) Source: O2 Class: 28</p>	<p>esquirolei fma. viride</p>  <p>Section: Paphiopedilum (Insigne) Source: P7 Class: 28 = chiwuanum, hirsutissimum var. esquirolei</p>	<p>esquirolei var. chiwuanum</p> <p>Section: Paphiopedilum (Insigne) Source: P7 Class: 28 = chiwuanum, hirsutissimum var. esquirolei</p>	<p>x expansum</p>  <p>Section: -- Source: C, P1, P2, P4, P5, P6, P8 Class: 30-37 = hennisianum x philippinense</p>	<p>exstaminodium</p> <p>Section: Source: W1 Class: -- = Phragmipedium exstaminodium</p>	<p>exul</p>  <p>Section: Paphiopedilum (Insigne) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28 syn: insigne var. exul</p>
<p>exul fma. album</p>  <p>Section: Paphiopedilum (Insigne) Source: K3, Class: 28</p>	<p>exul fma. aureum</p>  <p>Section: Paphiopedilum (Insigne) Source: P8, S1 Class: 28</p>	<p>fairieanum</p>  <p>Section: Paphiopedilum (Insigne) Source: P5 Class: 28 Unverified name</p>	<p>fairrieantum</p>  <p>Section: Paphiopedilum (Insigne) (Ceratopetalum) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28</p>	<p>fairrieantum fma. albescens</p>  <p>Section: Paphiopedilum (Insigne) Source: O2 Class: 28</p>	<p>fairrieantum fma. album</p>  <p>Section: Paphiopedilum (Insigne) Source: O2 Class: 28</p>













Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>fairrieianum fma. aureum</p>  <p>Section: Paphiopedilum (Insigne) Source: P7P8 Class: 28</p>	<p>fairrieianum fma. bohlmannianum</p>  <p>Section: Paphiopedilum (Insigne) Source: P7, P8, S1 Class: 28</p>	<p>fairrieianum fma. delicata</p>  <p>Section: Paphiopedilum (Insigne) Source: K3.,P7, P8, S1 Class: 28</p>	<p>fairrieianum var. flavum</p> <p>Section: Paphiopedilum (Insigne) Source: P8 Class: 28 = fairrieianum fma. bohlmannianum</p>	<p>fairrieianum var. giganteum</p>  <p>Section: Paphiopedilum (Insigne) Source: P8 Class: 28 = fairrieianum</p>	<p>fairrieianum var. nigrescens</p> <p>Section: Paphiopedilum (Insigne) Source: P8 Class: 28 = fairrieianum</p>
<p>x fanaticum</p>  <p>Section: -- Source: C, O1, P1, P2, P4, P5, P6, P8 Class: 30-37 = malipoense x micranthum</p>	<p>flavescens</p>  <p>Section: Cochlopetalum Source: W Class: 29a = liemianum var. primulinum subvar flavescens</p>	<p>flavium</p> <p>Section: Cochlopetalum Source: W Class: 29a = liemianum var. primulinum subvar flavium</p>	<p>fowliei</p>  <p>Section: Barbata (Barbatum) Source: B, B2, B3, C, C1, H, K, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28 = hennisianum var. fowliei</p>	<p>fowliei fma. album</p>  <p>Section: Barbata (Barbatum) Source: O2 Class: 28</p>	<p>fowliei fma. christiana</p>  <p>Section: Barbata (Barbatum) Source: P7, P8, S1 Class: 28</p>











Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>fowliei var. sangianum</p> <p>Section: Barbata (Barbatum) Source: P8 Class: 28 = fowliei</p>	<p>x frankeanum</p>  <p>Section: Source: C, P1, P2, P4, P5, P6, P8 Class: 30-37 = superbians var. curtisii x tonsum</p>	<p>fumi</p>  <p>Section: Coryopedilum - Polyantha Source: B3, P8 Class: 29 = platyphyllum</p>	<p>gardineri</p>  <p>Section: Coryopedilum - Polyantha Source: B2, B3, C, C1, H, K, K1, O1 Class: 29 = wilhelminiae, glanduliferum var. gardineri, praestans</p>	<p>gigantefolium</p>  <p>Section: Coryopedilum - Polyantha Source: P3, T2 Class: 29 See: gigantifolium</p>	<p>gigantifolium</p>  <p>Section: Coryopedilum - Polyantha Source: B, B3, C, K, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29 = ayubii</p>
<p>glanduliferum</p>  <p>Section: Coryopedilum - Polyantha Source: B, B2, B3, C, C1, H, K, K1, O1, P1, P2, P4, P5, P7 Class: 29 = praestans</p>	<p>glanduliferum var. album</p>  <p>Section: Coryopedilum - Polyantha Source: P10 Class: 29 = praestans</p>	<p>x glanzii</p>  <p>Section: -- Source: P3, P4, P5, P6, P8, T, T2 Class: 30-37 = emersonii x micranthum</p>	<p>glaucophyllum</p>  <p>Section: Cochlopetalum Source: B2, B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29a = moquetteanum, victoria-regina subsp. glaucophyllum</p>	<p>glaucophyllum, var. moquetteanum</p>  <p>Section: Cochlopetalum Source: O1 Class: 29a</p>	<p>glaucophyllum, var. moquetteanum forma flavoviride</p>  <p>Section: Cochlopetalum Source: P10 Class: 29a</p>












Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>globulosum</p>  <p>Section: Parvisepalum Source: B3, T2, P3, P8, W1 Class: 27 = micranthum</p>	<p>godefroyae</p>  <p>Section: Brachypetalum (Concoloria) Source: B, B2, B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 27 = leucochilum</p>	<p>godefroyae fma. album</p>  <p>Section: Brachypetalum (Concoloria) Source: K3, P8, S1 Class: 27</p>	<p>godefroyae fma. ang-thong</p>  <p>Section: Brachypetalum Source: O1 Class: 27</p>	<p>godefroyae fma. leucochilum</p>  <p>Section: Brachypetalum Source: P7, P8, S1 Class: 27</p>	<p>godefroyae fma. leucochilum, white form</p>  <p>Section: Brachypetalum Source: K Class: 27</p>
<p>godefroyae var. leucochilum forma album</p>  <p>Section: Brachypetalum Source: P10 Class: 27</p>	<p>x gowerianum</p>  <p>Section: -- Source: P6 Class: 30-37 = curtisii x lawrenceanum</p>	<p>x gowerianum f album</p>  <p>Section: -- Source: P6 Class: 30-37 = curtisii x lawrenceanum</p>	<p>gratrixianum</p>  <p>Section: Paphiopedilum (Insigne) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28 = affine, villosum var. affine, villosum var. gratrixianum</p>	<p>gratrixianum var. cangyuanense</p>  <p>Section: Paphiopedilum (Insigne) Source: P3, P8, T2 Class: 28 = gratrixianum</p>	<p>gratrixianum var. daoense</p>  <p>Section: Paphiopedilum (Insigne) Source: P3, P8, T2 Class: 28 = gratrixianum</p>












Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>gratrixianum var. gratrixianum</p>  <p>Section: Paphiopedilum (Insigne) Source: O6 Class: 28 = gratrixianum</p>	<p>x greyi</p>  <p>Section: -- Source: P7 Class: 30-37 = godefroyae x niveum</p>	<p>x greyi f. album</p>  <p>Section: -- Source: K Class: 30-37 = godefroyae x niveum</p>	<p>x grussianum</p>  <p>Section: -- Source: P1, P2, P3, P4, P5, P6, P8, T, T2 Class: 30-37 = hirsutissimum var. esquirolei x parishii var. dianthum or hirsutissimum x villosum</p>	<p>x grussii</p> <p>Section: -- Source: P8 Class: 30-37 = x nitens</p>	<p>guangdongense</p>  <p>Section: Paphiopedilum (Insigne) Source: T, K2, K3, P3, P5, P8, T2 Class: 28 = gratrixianum</p>
<p>hainanense</p>  <p>Section: Barbata (Barbatum) Source: B3, C, C1, H, K, O1 Class: 28 = appletonianum</p>	<p>hainanensis</p>  <p>Section: Barbata (Barbatum) Source: B3 Class: 28 = appletonianum</p>	<p>hangianum</p>  <p>Section: Parvisepalum (Emersoniana) Source: B3, K, K2, K3, O1, P1, P2, P3, P4, P5, P7, P8, T2 Class: 27 = singchii</p>	<p>hangianum fma. album</p>  <p>Section: Parvisepalum Source: P7, P8, S1 Class: 27</p>	<p>x harrisianum</p>  <p>Section: Source: 6 Class: 30-37 = barbatum x villosum</p>	<p>hartwegii</p> <p>Section: Source: W1 Class: -- = Phragmipedium longifolium</p>












Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>haynaldianum</p>  <p>Section: Pardalopetalum - Polyantha Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29</p>	<p>haynaldianum fma. album</p>  <p>Section: Pardalopetalum - Polyantha Source: K3, P7, P8, S1 Class: 29</p>	<p>haynaldianum var laure</p>  <p>Section: Pardalopetalum - Polyantha Source: P3, T2 Class: 29</p>	<p>helenae</p>  <p>Section: Paphiopedilum (Insigne) Source: B, B3, C, K, K2, K3, O1, P1, P2, P3, P4, P5, T2, P7, P8 Class: 28 = delicatum</p>	<p>helenae fma. album</p>  <p>Section: Paphiopedilum (Insigne) Source: O2 Class: 28</p>	<p>helenae fma. aureum</p>  <p>Section: Paphiopedilum (Insigne) Source: P7, P8, S1 Class: 28</p>
<p>helenae forma delicatum</p>  <p>Section: Paphiopedilum (Insigne) Source: P8 Class: 28 = helenae</p> <p>Section: Paphiopedilum (Insigne) Source: P3, T2 Class: 28</p>	<p>helenae var. peschutteri</p> <p>Section: Paphiopedilum (Insigne) Source: P8 Class: 28 = helenae</p>	<p>helenae var. sanderae</p>  <p>Section: Paphiopedilum (Insigne) Source: P10 Class: 28</p>	<p>hennisianum</p>  <p>Section: Barbata (Barbatum) Source: B2, B3, C, C1, C3, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28 = sugiyamanum</p>	<p>hennisianum forma album</p>  <p>Section: Barbata (Barbatum) Source: C, K3 Class: 28</p>	<p>hennisianum fma. christiansenii</p>  <p>Section: Barbata (Barbatum) Source: P7, P8, S1 Class: 28</p>












Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>hennisianum var. christiansenii</p>  <p>Section: Barbata (Barbatum) Source: C3 Class: 28</p>	<p>henryanum</p>  <p>Section: Paphiopedilum (Insigne) Source: B, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28 = chaoi, dollii</p>	<p>henryanum fma. album</p>  <p>Section: Paphiopedilum (Insigne) Source: P8, S1 Class: 28</p>	<p>henryanum fma. christae</p>  <p>Section: Paphiopedilum (Insigne) Source: B, K3, P7, P8, S1 Class: 28</p>	<p>herrmannii</p>  <p>Section: Paphiopedilum (Insigne) Source: B, B3, K, K2, K3, P3, P7, P8, T2 Class: 28 = x herrmannii</p>	<p>x herrmannii</p>  <p>Section: Source: C, K3, O1, P1, P2, P4, P5, P6 Class: 30-37 helenae x hirsutissimum var. esquirelei</p>
<p>hiepii</p>  <p>Section: Parvisepalum Source: B, B3, K, P3, P8, T2 Class: 27 = malipoense var. jackii</p>	<p>hiepii var. album</p>  <p>Section: Parvisepalum Source: T2 Class: 27</p>	<p>hilmari, hilmarii</p>  <p>Section: Parvisepalum Source: B3, O, P8, W1 Class: 27 = vietnamense</p>	<p>hincksianum</p> <p>Section: Source: W1 Class: -- = Phragmipedium longifolium</p>	<p>hirsutissimum</p>  <p>Section: Paphiopedilum (Insigne) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28 = esquirelei, saccopetalum</p>	<p>hirsutissimum var. chiwuanum</p>  <p>Section: Paphiopedilum (Insigne) Source: B, B2, C, C1, H, K, K1, K2, K3, P1, P2, P8 Class: 28 = esquirelei, chiwuanum</p>












Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>hirsutissimum var. esquirolei</p>  <p>Section: Paphiopedilum (Insigne) Source: B, B2, C, C1, H, K, K1, K2, K3, P1, P2, P8 Class: 28 = esquirolei</p>	<p>hirsutissimum var. esquirolei fma. album</p>  <p>Section: Paphiopedilum (Insigne) Source: K3, P8, S1 Class: 28</p>	<p>hirsutissimum var. esquirolei fma. viride</p>  <p>Section: Paphiopedilum (Insigne) Source: P8, S1 Class: 28</p>	<p>hirtzii</p> <p>Section: Source: W1 Class: -- = Phragmipedium hirtzii</p>	<p>x holdenii</p>  <p>Section: -- Source: P8, W1 Class: 30-37 = callosum x Maudiae</p>	<p>honglaniae</p>  <p>Section: Parvisepalum Source: K Class: 27 = emersonii</p>
<p>hookerae</p>  <p>Section: Barbata (Barbatum) Source: B, B2, B3, C, C1, H, K, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28 = appletonianum</p>	<p>hookerae var. volonteantum</p>  <p>Section: Barbata (Barbatum) Source: K2, K3, O1, P1, P2, P8 Class: 28 = volonteantum</p>	<p>hookerae var. volonteantum fma. sandowii</p>  <p>Section: Barbata (Barbatum) Source: P8, S1 Class: 28</p>	<p>x huangrongshuanum</p>  <p>Section: -- Source: P3, P5, P6, P8, T, T2 Class: 30-37 = dianthum x gratrixianum</p>	<p>huonglanae</p>  <p>Section: Parvisepalum Source: P3, P8, T2, W1 Class: 27 = emersonii</p>	<p>inamorii</p>  <p>Section: Barbata (Barbatum) Source: K2, K3, P5, P8, T2, W1 Class: 28</p>











Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>inomorii</p> <p>Section: Barbata (Barbatum) Source: P3 Class: 28 See inamorii</p>	<p>insigne</p>  <p>Section: Paphiopedilum (Insigne) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28</p>	<p>insigne fma. sanderae</p>  <p>Section: Paphiopedilum (Insigne) Source: K3, P7, P8, S1 Class: 28</p>	<p>insigne fma. sanderianum</p>  <p>Section: Paphiopedilum (Insigne) Source: P7, P8, S1 Class: 28</p>	<p>insigne var. montanum</p>  <p>Section: Paphiopedilum (Insigne) Source: B Class: 28</p>	<p>intaniae</p>  <p>Section: Coryopedilum - Polyantha Source: K, K2, K3, P1, P2, P3, P4, P5, P8, T2 Class: 29 See O1 – May be a garden hybrid</p>
<p>jackii</p>  <p>Section: Parvisepalum Source: B, C, K, K2, K3, P5 Class: 27 = malipoense var. jackii</p>	<p>javanicum</p>  <p>Section: Barbata (Barbatum) Source: B2, B3 C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28</p>	<p>javanicum fma. album</p>  <p>Section: Barbata (Barbatum) Source: O2 Class: 28</p>	<p>javanicum fma. nymphenburgianum</p>  <p>Section: Barbata (Barbatum) Source: P7, P8, S1 Class: 28 =P. javanicum fma. album</p>	<p>javanicum var. virens</p>  <p>Section: Barbata (Barbatum) Source: K3, P1, P2, P7, P8, S1 Class: 28</p>	<p>johorensis</p>  <p>Section: Barbata (Barbatum) Source: B3 Class: 28 = bullenianum</p>










Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>johorensis</p>  <p>Section: Barbata (Barbatum) Source: B2, B3, C, C1, H Class: 28 = bullenianum</p>	<p>josianae</p>  <p>Section: Brachypetalum (Concoloria) Source: K3, P3, P8, T2 Class: 27 The plant hitherto known as <i>Paphiopedilum</i> (formerly <i>Cypripedium</i>) <i>concolor</i> var. <i>longipetalum</i> is elevated to the species level and described as <i>Paphiopedilum josianae</i> Braem & Nimpoonsri in honour of Mrs. Josiane Guiard</p>	<p>kaieteurum</p> <p>Section: Source: W1 Class: -- = Phragmipedium lindleyanum</p>	<p>kalinae</p>  <p>Section: Cochlopetalum Source: B3, C, O1, P7 Class: 29a =: victoria-regina var. kalinae</p>	<p>keyesianum</p>  <p>Section: Brachypetalum Source: K Class: 27 = godefroyae</p>	<p>x kimballianum</p>  <p>Section: -- Source: C, P1, P2, P4, P5, P6, P8 Class: 30-37 = rothschildianum x dayanum</p>
<p>kolopakingii</p>  <p>Section: Coryopedilum - Polyantha Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29</p>	<p>kolopakingii fma. katherinae</p>  <p>Section: Coryopedilum - Polyantha Source: K3, P8, S1 Class: 29</p>	<p>kolopakingii fma. topperi</p>  <p>Section: Coryopedilum - Polyantha Source: P7 Class: 29</p>	<p>laevigatum</p>  <p>Section: Coryopedilum - Polyantha Source: B2, C, C1, H, K1 Class: 29 = philippinense var. laevigatum</p>	<p>x lathamianum</p>  <p>Section: -- Source: B4, P6 Class: 30-37 = spicerianum x villosum</p>	<p>lawrenceanum</p>  <p>Section: Barbata (Barbatum) Source: B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28 = nigratum</p>













Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>lawrenceanum fma. hyanum</p>  <p>Section: Barbata (Barbatum) Source: K3, P7, P8, S1 Class: 28</p>	<p>lawrenceanum var. album</p>  <p>Section: Barbata (Barbatum) Source: P Class: 28</p>	<p>lawrenceanum var. trieuuanum</p>  <p>Section: Barbata (Barbatum) Source: C2 Class: 28</p>	<p>lawrenceanum var. viride</p>  <p>Section: Barbata (Barbatum) Source: C2 Class: 28</p>	<p>x leeanum</p>  <p>Section: -- Source: C Class: 30-37 = spicerianum x insigne</p>	<p>leucochilum</p>  <p>Section: Brachypetalum (Concoloria) Source: B2, B3, C, H, K, K1, K2, K3, P5 Class: 27 = godefroyae, godefroyae var. leucochilum</p>
<p>leucochilum fma. album</p>  <p>Section: Brachypetalum (Concoloria) Source: K3 Class: 27</p>	<p>leucochilum var. hemixanthinum</p>  <p>Section: Brachypetalum Source: B1 Class: 27 = godefroyae, godefroyae var. leucochilum</p>	<p>liemianum</p>  <p>Section: Cochlopetalum Source: B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29a = victoria-regina var. liemianum</p>	<p>lindenii</p> <p>Section: Source: W1 Class: -- = Phragmipedium lindenii</p>	<p>lindleyanum</p> <p>Section: Source: W1 Class: -- = Phragmipedium lindleyanum</p>	<p>linii</p>  <p>Section: Barbata (Barbatum) Source: C, P1, P2, P4, P5, P6, P8 Class: 28 = bullenianum</p>







Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>x littleanum</p>  <p>Section: -- Source: C, P1, P2, P4, P5, P6, P8 Class: 30-37 = dayanum x lawrenceanum</p>	<p>longifolium</p> <p>Section: Source: W1 Class: -- = Phragmipedium longifolium</p>	<p>lowii</p>  <p>Section: Pardalopetalum - Polyantha Source: B, B2, B3,C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29</p>	<p>lowii fma. albescent</p>  <p>Section: Pardalopetalum - Polyantha Source: K3 Class: 29</p>	<p>lowii fma. aurea</p> <p>Section: Pardalopetalum - Polyantha Source: K3 Class: 29</p>	<p>lowii fma. aureum</p>  <p>Section: Pardalopetalum - Polyantha Source: P7, P8, S1 Class: 29</p>
<p>lowii fma. flavum</p>  <p>Section: Pardalopetalum - Polyantha Source: Orchid Digest Vol. 82-2 Apr.-June 2018 pg. 61 Class: 29</p>	<p>lowii var latifolium</p>  <p>Section: Pardalopetalum - Polyantha Source: P3, T2 Class: 29</p>	<p>lowii var. lynniae</p>  <p>Section: Pardalopetalum - Polyantha Source: P1, P2, P8 Class: 29</p>	<p>lowii var richardianum</p>  <p>Section: Pardalopetalum - Polyantha Source: P1, P2, P8 Class: 29</p>	<p>x lushuiense</p> <p>Section: -- Source: T Class: 30-37 = spicerianum x villosum See: x lushuiense</p>	<p>lunatum</p>  <p>Section: Barbata (Barbatum) Source: K3, O3, O5 Class: 28</p>













Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>x lushuiense</p>  <p>Section: Source: P5, P6, P8, W1 Class: 30-37 = spicerianum × villosum</p>	<p>lynniae</p>  <p>Section: Pardalopetalum - Polyantha Source: B, B3, C, C1, K, K2, K3, P7 Class: 29 = lowii var. lynniae</p>	<p>macfarlanei</p>  <p>Section: Paphiopedilum (Insigne) Source: P8, W1 Class: 28 = insigne</p>	<p>macranthum</p>  <p>Section: Paphiopedilum (Insigne) Source: P8, W1 Class: 28 = villosum var. villosum</p>	<p>malipoense</p>  <p>Section: Parvisepalum Source: B, B3, C, H, K, K2, K3, O1, P1, P2, P4, P5, P7, P8, T2 Class: 27</p>	<p>malipoense fma. album</p>  <p>Section: Parvisepalum Source: O2 Class: 27</p>
<p>malipoense fma. concolor</p>  <p>Section: Parvisepalum Source: P7, P8, S1 Class: 27</p>	<p>malipoense forma tonnianum</p>  <p>Section: Parvisepalum Source: T2 P3, P8, T2 Class: 27 = malipoense</p>	<p>malipoense var. hiepii</p>  <p>Section: Parvisepalum Source: P3, P7 Class: 27</p>	<p>malipoense var. jackii</p>  <p>Section: Parvisepalum Source: P3, P7, P8 Class: 27</p>	<p>malipoense var. jackii fma. virescens</p>  <p>Section: Parvisepalum Source: P8, S1 Class: 27</p>	<p>markianum</p>  <p>Section: Paphiopedilum (Insigne) Source: B, B3, C, K, O1, P7, P8 Class: 28 = tigrinum</p>











Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>markii</p>  <p>Section: Parvisepalum Source: B3, K Class: 27 = armeniacum f. markii</p>	<p>mastersianum</p>  <p>Section: Barbata (Barbatum) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28</p>	<p>mastersianum album</p>  <p>Section: Barbata (Barbatum) Source: P10 Class: 28</p>	<p>mastersianum var. mohrianum</p>  <p>Section: Barbata (Barbatum) Source: K2, K3, P1, P2 Class: 28 = mohrianum, x mohrianum</p>	<p>x mattesii</p>  <p>Section: -- Source: C, P1, P2, P4, P5, P6, P8 Class: 30-37 = barbatum x bullenianum</p>	<p>micranthum</p>  <p>Section: Parvisepalum Source: B, B2, B3, C, H, K, K1, K2, K3, O1, P1, P2, P3, P4, P5, P7, P8, T2 Class: 27 = globulosum</p>
<p>micranthum fma. albo-flavum</p>  <p>Section: Parvisepalum Source: P7, P8 Class: 27 = micranthum fma. glanzeanum</p>	<p>micranthum fma. album</p>  <p>Section: Parvisepalum Source: P7, P8 Class: 27</p>	<p>micranthum var. eburneum</p>  <p>Section: Parvisepalum Source: K2, K3, P1, P2, P8 Class: 27 = micranthum</p>	<p>micranthum var. glanzeanum</p>  <p>Section: Parvisepalum Source: P1, P2, P8 Class: 27</p>	<p>micranthum var. oblatum</p>  <p>Section: Parvisepalum Source: P3, P8, T2 Class: 27 = micranthum</p>	<p>microchilum</p>  <p>Section: Barbata (Barbatum) Source: P8, W1 Class: 28 = wardii</p>










Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>x mindanaense</p>  <p>Section: - Source: P3, T2 Class: 30-37 = anitum x superbiens</p>	<p>mirabile</p>  <p>Section: Parvisepalum Source: B3, O, P8 Class: 27 = vietnamense</p>	<p>mohrianum</p>  <p>Section: Barbata (Barbatum) Source: P8 Class: 28 = mastersianum var. mohrianum</p>	<p>x mohrianum</p>  <p>Section: -- Source: B3, C Class: 30-37 = bullenianum var. celebense x javanicum</p>	<p>moquetteanum</p>  <p>Section: Cochlopetalum Source: B2, B3, C, H, K, K1, K2, K3, O1, P5, P8 Class: 29a = glaucophyllum var. moquetteanum</p>	<p>moquetteanum fma. flavoviride</p>  <p>Section: Cochlopetalum Source: P8, S1 Class: 29a</p>
<p>multifolium</p>  <p>Section: Barbata (Barbatum) Source: P3, P8, T2, W1 Class: 28 = wardii</p>	<p>myanmaricum</p>  <p>Section: Brachypetalum (Concoloria) Source: O6 Class: 27</p>	<p>natashae</p>  <p>Section: Barbata (Barbatum) Source: K3, T2 Class: 28</p>	<p>nigrinum</p>  <p>Section: Barbata (Barbatum) Source: B2, B3, C, C1, H, K, K1 Class: 28 = barbatum, lawrenceanum, barbatum var nigrinum</p>	<p>x nitens</p>  <p>Section: -- Source: C, P3, P5, P6, P8, T2 Class: 30-37 = villosum x insigne</p>	<p>niveum</p>  <p>Section: Brachypetalum (Concoloria) Source: B, B2, B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 27</p>







Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>niveum fma. album</p>  <p>Section: Brachypetalum Source: P7, P8, S1 Class: 27</p>	<p>notatisepalum</p>  <p>Section: Paphiopedilum (Insigne) Source: K3, O3 Class: 28 Considered a form of henryanum</p>	<p>ooui</p>  <p>Section: Coryopedilum - Polyantha Source: B3, K, K2, O1, P1, P2, P3, P4, P5, P7, P8, T2 Class: 29</p>	<p>papilio-laoticus</p>  <p>Section: Paphiopedilum (Insigne) Source: K3, OrchideenJournal Vol. 6 No 4 - 2018 Class: 28</p>	<p>papuanum</p>  <p>Section: Barbata (Barbatum) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, P1, P2, P4, P5, P7, P8 Class: 28 syn: ziekianum</p>	<p>papuanum forma alesejanum</p> <p>Section: Barbata (Barbatum) Source: T2 Class: 28</p>
<p>papuanum forma alexejanum</p>  <p>Section: Barbata (Barbatum) Source: P3 Class: 28</p>	<p>papuanum forma alexejanum</p> <p>Section: Barbata (Barbatum) Source: P8 Class: 28</p>	<p>pardinum</p>  <p>Section: Barbata (Barbatum) Source: B3, C, C1, H Class: 28 = venustum</p>	<p>parishii</p>  <p>Section: Pardalopetalum - Polyantha Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29 = dianthum</p>	<p>parishii var. dianthum</p>  <p>Section: Pardalopetalum - Polyantha Source: C1 Class: 29 = dianthum</p>	<p>parnatanum</p>  <p>Section: Barbata (Barbatum) Source: K, K2, K3, O1, P3, P4, P5, P8, T2 Class: 28 = usitae. = usitanum</p>












Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>paulistanum</p> <p>Section: Source: W1 Class: -- = Phragmipedium vittatum</p>	<p>pearcei</p> <p>Section: Source: W1 Class: -- = Phragmipedium pearcei</p>	<p>x pereirae</p> <p>Section: -- Source: C, P1, P2, P4, P6 Class: 30-37 = niveum x exul</p>	<p>x petchleungianum</p>  <p>Section: -- Source: P1, P2, P3, P4, P5, P6, P8, T, T2 Class: 30-37 = dianthum x villosum</p>	<p>petri</p>  <p>Section: Barbata (Barbatum) Source: B3, C, C1, H Class: 28 = dayanum</p>	<p>philippinense</p>  <p>Section: Coryopedilum - Polyantha Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29 = laevigatum, roebelinii</p>
<p>philippinense fma. alboflavum</p>  <p>Section: Coryopedilum - Polyantha Source: P8, S1 Class: 29</p>	<p>philippinense fma. album</p>  <p>Section: Coryopedilum - Polyantha Source: P8 Class: 29</p>	<p>philippinense fma. aureum</p>  <p>Section: Coryopedilum - Polyantha Source: O2 Class: 29</p>	<p>philippinense fma. semialbum</p>  <p>Section: Coryopedilum - Polyantha Source: O2 Class: 29</p>	<p>philippinense var. compactum</p>  <p>Section: Coryopedilum - Polyantha Source: P8 Class: 29</p>	<p>philippinense var. laevigatum</p>  <p>Section: Coryopedilum - Polyantha Source: K3, O2 Class: 29</p>











Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>philippinense var. palawanense</p>  <p>Section: Coryopedilum - Polyantha Source: , P3T2 Class:29</p>	<p>philippinense var. roebelenii</p>  <p>Section: Coryopedilum - Polyantha Source: B1, K2, K3, P1, P2, P8 Class: 29 = laevigatum, roebelinii</p>	<p>philippinense var. roebelenii f. album</p>  <p>Section: Coryopedilum - Polyantha Source: O2 Class: 29</p>	<p>platyphyllum</p>  <p>Section: Coryopedilum - Polyantha Source: B3, K, K2, K3, O1,.P3, P4, P5, P7, P8, T2 Class: 29 = fumi, stonei var. latifolium, sugiyamii</p>	<p>potentianum</p>  <p>Section: Barbata (Barbatum) Source: C, K2, K3, P3, T2 Class: 28 = callosum var. potentianum</p>	<p>x powellii, x powelii</p>  <p>Section: -- Source: C, P1, P2,.P3, P4, P5, P6, P8, P8, T2 Class: 30-37 = callosum x exul</p>
---	---	---	---	---	--











Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>x pradhanii</p>  <p>Section: -- Source: C, H, P1, P2, P4, P5, P6 Class: 30-37 = fairrieianum x venustum</p>	<p>praestans</p>  <p>Section: Coryopedilum - Polyantha Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P5, P7, P8 Class: 29 = bodegomensis, bodegomii, gardineri, glanduliferum, striatum, wilhelminiae</p>	<p>praestans var. bicornutum</p>  <p>Section: Coryopedilum - Polyantha Source: K3, P8 Class: 29 = wilhelminiae</p>	<p>primulinum</p>  <p>Section: Cochlopetalum Source: B3, C, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29a</p>	<p>primulinum f. album</p>  <p>Section: Cochlopetalum Source: O2 Class: 29a</p>	<p>primulinum f. aurea</p>  <p>Section: Cochlopetalum Source: O2 Class: 29a</p>
<p>primulinum f. aureum</p>  <p>Section: Cochlopetalum Source: O2 Class: 29a</p>	<p>primulinum f. flavum</p>  <p>Section: Cochlopetalum Source: O2 Class: 29a</p>	<p>primulinum f. purpurascens</p>  <p>Section: Cochlopetalum Source: K2, K3, O1, P1, P2, P7, P8 Class: 29a = primulinum var. purpurascens</p>	<p>primulinum var. flavescens</p>  <p>Section: Cochlopetalum Source: B1 Class: 29a</p>	<p>puberulum</p> <p>Section: Barbata (Barbatum) Source: P8 Class: 28 = appletonianum, see puberulum</p>	<p>puberulum</p>  <p>Section: Barbata (Barbatum) Source: W1 Class: 28 = appletonianum</p>










Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>purpurascens</p>  <p>Section: Barbata (Barbatum) Source: B2, C, C1, H, K, P8 Class: 28 = javanicum var. virens</p>	<p>purpuratum</p>  <p>Section: Barbata (Barbatum) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P3, P4, P5, P7, P8, T2 Class: 28 = aestivum, sinicum</p>	<p>purpuratum fma. album</p>  <p>Section: Barbata (Barbatum) Source: P8, S1 Class: 28</p>	<p>purpuratum var. hainanense</p>  <p>Section: Barbata (Barbatum) Source: P1, P2, T2 Class: 28 = aestivum, sinicum</p>	<p>qingyongii</p>  <p>Section: Barbata (Barbatum) Source: K3, P3, P5, T2, W1 Class: 29 = accepted name</p>	<p>qingyongii</p> <p>Section: Coryopedilum - Polyantha Source: K2, P8 Class: 29 resembles P. venustum See: qingyongii</p>
<p>randsii</p>  <p>Section: Coryopedilum - Polyantha Source: B, B1, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29</p>	<p>reflexum</p>  <p>Section: Barbata (Barbatum) Source: B3, K, P8 Class: 28 = callosum, crossii</p>	<p>regnieri</p>  <p>Section: Barbata (Barbatum) Source: B3, K, P8 Class: 28 = callosum, crossii</p>	<p>reticulatum</p> <p>Section: Source: W1 Class: -- = Phragmipedium reticulatum+</p>	<p>rhizomatosum</p>  <p>Section: Paphiopedilum (Insigne) Source: P1, P2, P3, P8, T, T2 Class: 28 = x areeanum, Syn. P. areeanum</p>	<p>richardianum</p>  <p>Section: Pardalopetalum - Polyantha Source: B, B3, C, C1, K, K2, K3, O1, P5, P7 Class: 29 = lowii var. richardianum</p>








Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>robinsonianum</p>  <p>Section: Barbata (Barbatum) Source: K3, P3, P5, P8, T2 Class: 28</p>	<p>robinsonianum var. anitanum</p>  <p>Section: Barbata (Barbatum) Source: K3 Class: 28 syn: anitanum</p>	<p>robinsonii</p>  <p>Section: Barbata (Barbatum) Source: B2, C, C1, H, K, O1 Class: 28 = bullenianum</p>	<p>robinsonii fma. viride</p>  <p>Section: Barbata (Barbatum) Source: P8 Class: 28 = appletonianum fma. album</p>	<p>roebbelenii</p>  <p>Section: Coryopedilum - Polyantha Source: B3, I1, O1, P7 Class: 29 = cerveranum, philippinense var. roebbelenii</p>	<p>roebbelenii fma. alboflavum</p> <p>Section: Coryopedilum - Polyantha Source: P7 Class: 29 See philippinense</p>
<p>roebelenii</p>  <p>Section: Coryopedilum - Polyantha Source: B, B2, C, C1, H, K, K1 Class: 29 = philippinense var. roebelenii</p>	<p>roezlii</p> <p>Section: -- Source: W1</p> <p>Class: -- = Phragmipedium longifolium</p>	<p>rohmanii</p>  <p>Section: Barbata (Barbatum) Source: K3, O5 Class: 28</p>	<p>rothschildianum</p>  <p>Section: Coryopedilum - Polyantha Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29 = elliottianum</p>	<p>rothschildianum album</p>  <p>Section: Coryopedilum - Polyantha Source: P10 Class: 29</p>	<p>rungsuriyanum</p>  <p>Section: Pumilum Source: K3, P3, P8, T2 Class: 28 = runsuriyanum Currently all plants are illegal</p>










Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>saccopetalum</p>  <p>Section: Paphiopedilum (Insigne) Source: B3, P1, P2, P3, P8, T2, W1 Class: 28 = hirsutissimum</p>	<p>x sallieri</p>  <p>Section: -- Source: C Class: 30-37 = x nitens</p>	<p>sanderianum</p>  <p>Section: Coryopedilum - Polyantha Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29</p>	<p>sangchii</p> <p>Section: Parvisepalum Source: B3, T2 Class: 27 Probably a synonym for emersonii</p>	<p>sangii</p>  <p>Section: Barbata (Barbatum) Source: B, B3, C, C1, K, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28</p>	<p>sanigii var. ayubianum</p>  <p>Section: Barbata (Barbatum) Source: P3, P8, T2 Class: 28 = sangii var. sangii, ayubianum</p>
<p>x sanjiangianum</p>  <p>Section: -- Source: P3, P5, P6, P8, T, T2 Class: 30-37 = dianthum x barbigerum</p>	<p>sargentianum</p> <p>Section: -- Source: W1 Class: -- = Phragmipedium lindleyanum</p>	<p>x schlechterianum</p>  <p>Section: -- -- Source: P3, P8, T2 Class: 30-37 = callosum x wardii</p>	<p>schlimii</p> <p>Section: -- Source: P4, W1 Class: -- = Phragmipedium schlimii</p>	<p>schmidtianum</p>  <p>Section: Barbata (Barbatum) Source: B2, W Class: 28 = callosum var. schmidtianum</p>	<p>schoseri</p>  <p>Section: Barbata (Barbatum) Source: B3, C, C1, K2, K3, P1, P2, P4, P5, P7 Class: 28 = baccanum, hookerae</p>












Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>x <i>sedanii</i></p> <p>Section: Source: W1 Class: -- = <i>Phragmipedium</i> x <i>sedanii</i></p>	<p>x <i>shipwayae</i></p> <p>Section: -- Source: C, H, P1, P2, P4, P5, P6, P8 Class: 30-37 = <i>hookerae</i> x <i>dayanum</i></p>	<p>x <i>siamense</i></p>  <p>Section: -- Source: C, H, P1, P2, P4, P5, P6, P8 Class: 30-37 = <i>callosum</i> x <i>appletonianum</i></p>	<p><i>singchii</i></p>  <p>Section: <i>Parvisepalum</i> Source: B3, K, P8, T2 Class: 27 = <i>hangianum</i>, <i>emersonii</i></p>	<p><i>sinicum</i></p>  <p>Section: <i>Barbata</i> (<i>Barbatum</i>) Source: B3, W1 Class: 28 = <i>purpuratum</i></p>	<p>x <i>sinovillosum</i></p>  <p>Section: -- Source: P5, P6, P8, T Class: 30-37 = <i>henryanum</i> x <i>villosum</i></p>
<p><i>smaragdinum</i></p>  <p>Section: <i>Paphiopedilum</i> (<i>Insigne</i>) Source: W1 Class: 28 = <i>tigrinum</i>, <i>markianum</i> forma <i>smaragdinum</i></p>	<p><i>socco</i></p> <p>Section: Source: W1 Class: -- = <i>Catasetum sacco</i>, <i>Catasetum trulla</i></p>	<p><i>spicerianum</i></p>  <p>Section: <i>Paphiopedilum</i> (<i>Insigne</i>) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28</p>	<p><i>spicerianum</i> fma. <i>burkhardii</i></p>  <p>Section: <i>Paphiopedilum</i> (<i>Insigne</i>) Source: P8 Class: 28</p>	<p><i>spicerianum</i> fma. <i>immaculatum</i></p> <p>Section: <i>Paphiopedilum</i> (<i>Insigne</i>) Source: P7, P8, S1 Class: 28</p>	<p>x <i>spicero-venustum</i></p> <p>Section: -- Source: C, H Class: 30-37 = <i>spicerianum</i> x <i>venustum</i></p>













Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>x spicerovenustum</p> <p>Section: -- Source: P1, P2, P4, P5, P6, P8, W1 Class: 30-37 = spicerianum x venustum</p>	<p>sriwaniae</p>  <p>Section: Barbata (Barbatum) Source: B3, C, P8 Class: 28 = argus</p>	<p>stenolobum, stenolomum</p>  <p>Section: Paphiopedilum (Insigne) Source: K2, K3, P8 Class: 28 = villosum, gratrixianum</p>	<p>stonei</p>  <p>Section: Coryopedilum - Polyantha Source: B, B2, B3, C,C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29</p>	<p>stonei fma. alboflavum</p>  <p>Section: Coryopedilum - Polyantha Source: P8, S1 Class: 29</p>	<p>stonei subsp. stictopetalum</p> <p>Section: Coryopedilum - Polyantha Source: P8 Class: 29</p>
<p>stonei var. album</p>  <p>Section: Coryopedilum - Polyantha Source: P10 Class: 29</p>	<p>stonei var. cannartae</p>  <p>Section: Coryopedilum - Polyantha Source: O2 Class: 29</p>	<p>stonei var. latifolium</p>  <p>Section: Coryopedilum - Polyantha Source: P8 Class: 29</p>	<p>stonei var. platyphyllum</p> <p>Section: Coryopedilum - Polyantha Source: P1, P2 Class: 29</p>	<p>stonei var. platytaenium</p>  <p>Section: Coryopedilum - Polyantha Source: B, O2 Class: 29</p>	<p>striatum</p>  <p>Section: Coryopedilum - Polyantha Source: B3, C, C1, P3, P8, T2 Class: 29 = wilhelminiae</p>











Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>sublaeve</p>  <p>Section: Barbata (Barbatum) Source: B2, B3, C, C1, K1 Class: 28 = callosum var. sublaeve, birkii</p>	<p>sugiyamanum</p>  <p>Section: Barbata (Barbatum) Source: B3, K, K2, O1, P1, P2, P3, P4, P5, P8, T2 Class: 28 = hennisianum, platyphyllum</p>	<p>sugiyamii (hort.)</p> <p>Section: Barbata (Barbatum) Source: P8 Class: 28 = hennisianum, platyphyllum, see O1 – appears to be a hybrid</p>	<p>sukhakulii</p>  <p>Section: Barbata (Barbatum) Source: B, B2, B3, C, C1, H, K, K1, K2, O1, P1, P2, P4, P5, P7, P8 Class: 28</p>	<p>sukhakulii fma. aureum</p>  <p>Section: Barbata (Barbatum) Source: P7, P8, S1 Class: 28</p>	<p>sukhakulii var. album</p>  <p>Section: Barbata (Barbatum) Source: B1 Class: 28</p>
<p>sulivongii</p>  <p>Section: Paphiopedilum (Insigne) Source: K3 Class: 28 syn: barbigerum var. sulivongii</p>	<p>supardii</p>  <p>Section: Coryopedilum - Polyantha Source: B, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29 = devogeli, praestans</p>	<p>superbiens</p>  <p>Section: Barbata (Barbatum) Source: B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28 = ciliolare, veitchianum, stonei, syn: curtisii</p>	<p>superbiens forma. sanderae</p>  <p>Section: Barbata (Barbatum) Source: P10 Class: 28 = ciliolare, veitchianum, stonei</p>	<p>superbiens var. curtisii</p>  <p>Section: Barbata (Barbatum) Source: K2, K3, O1, P7 Class: 28</p>	<p>superbiens var. curtisii fma. sanderae</p>  <p>Section: Barbata (Barbatum) Source: P7, S1 Class: 28 Source K3 says section Paphiopedilum</p>

Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>superbum</p>  <p>Section: Coryopedilum - Polyantha Source: W Class: 29 = rothschildianum</p>	<p>thaianum</p>  <p>Section: Brachypetalum (Concoloria) Source: K, K2, K3, O1, P1, P2, P3, P4, P5, P8, T2 Class: 27</p>	<p>thailandense (hort.)</p>  <p>Section: Barbata (Barbatum) Source: B2, B3, C1, H, K1, P8 Class: 28 = callosum var. sublaeve</p>	<p>tigrinum</p>  <p>Section: Paphiopedilum (Insigne) Source: B3, C, K, K2, K3, O1, P1, P2, P4, P5, P8 Class: 28 syn: markianum</p>	<p>tigrinum f. huberae</p>  <p>Section: Paphiopedilum (Insigne) Source: P3, P8, T2 Class: 28 = tigrinum</p>	<p>tigrinum fma. smarigdinum</p>  <p>Section: Paphiopedilum (Insigne) Source: P8, S1 Class: 28</p>
<p>tonsum</p>  <p>Section: Barbata (Barbatum) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28</p>	<p>tonsum fma. alboviride</p>  <p>Section: Barbata (Barbatum) Source: P7, P8, S1 Class: 28</p>	<p>tonsum var braemii</p>  <p>Section: Barbata (Barbatum) Source: O1, P8 Class: 28 = braemii</p>	<p>tonsum var superbum</p>  <p>Section: Barbata (Barbatum) Source: C1 Class: 28</p>	<p>topperi</p>  <p>Section: Coryopedilum - Polyantha Source: B, C, C1, P8 Class: 29 = kolopakingii</p>	<p>tortipetalum</p>  <p>Section: Barbata (Barbatum) Source: B3, C, H, P8 Class: 28 = bullenianum</p>








Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>tortisepalum</p>  <p>Section: Barbata (Barbatum) Source: B3, C1 Class: 28 = bullenianum</p>	<p>tranliemianum</p>  <p>Section: Paphiopedilum (Insigne) Source: P3, T2 Class:28 See tranlienianum</p>	<p>tranlienianum</p>  <p>Section: Paphiopedilum (Insigne) Source: B, B3, K, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28 = caobangense</p>	<p>tranlienianum forma albobviride</p>  <p>Section: Paphiopedilum (Insigne) Source: P1, P2, P8, S1 Class:28</p>	<p>tranlienianum forma album</p>  <p>Section: Paphiopedilum (Insigne) Source: K3 Class:28</p>	<p>tranlienianum var. saxosum</p> <p>Section: Paphiopedilum (Insigne) Source: P8 Class:28 = tranlienianum</p>
<p>x trantuanii</p>  <p>Section: Paphiopedilum (Insigne) Source: K2, K3, P8, W1 Class: 30-37 = x aspersum</p>	<p>tretonense</p>  <p>Section: Coryopedilum - Polyantha Source: W Class: 29 = rothschildianum</p>	<p>tridentatum</p>  <p>Section: Barbata (Barbatum) Source: P8, W1 Class: 28 = appletonianum</p>	<p>trungkienii</p> <p>Section: Brachypetalum (Concoloria) Source: K3 Class:27</p>	<p>x undulatum</p>  <p>Section: -- Source: P5, P6, P8, T Class: 30-37 = areeanum x spicerianum</p>	<p>urbanianum</p>  <p>Section: Barbata (Barbatum) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28</p>











Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>urbanianum fma. alboviride</p>  <p>Section: Barbata (Barbatum) Source: P7, P8, S1 Class: 28</p>	<p>usitae</p>  <p>Section: Barbata (Barbatum) Source: K Class: 28 = baccanum, parnatatum</p>	<p>usitanum</p>  <p>Section: Barbata (Barbatum) Source: O1, P1, P2, P8 Class: 28 = parnatatum</p>	<p>veitchianum</p>  <p>Section: Barbata (Barbatum) Source: K1 Class: 28 = stonei, superbiens</p>	<p>vejvarutianum</p>  <p>Section: Paphiopedilum (Insigne) Source: K, K2, K3, O1, P1, P2, P3, P4, P5, P8, T2 Class: 28 See O1 – was originally thought to be a hybrid of barbigerum x herrmannii</p>	<p>x venusto-insigne</p>  <p>Section: -- Source: C, H Class: 30-37 = insigne x venustum See: x venustoinsigne</p>
<p>x venustoinsigne</p>  <p>Section: -- Source: P1, P2, P4, P5, P6, P8, W1 Class: 30-37 = insigne x venustum</p>	<p>venustum</p>  <p>Section: Barbata (Barbatum) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P4, P5, P7, P8 Class: 28</p>	<p>venustum fma. alba</p>  <p>Section: Barbata (Barbatum) Source: O2 Class: 28</p>	<p>venustum fma. albescens</p>  <p>Section: Barbata (Barbatum) Source: P9 Class: 28</p>	<p>venustum fma. album</p>  <p>Section: Barbata (Barbatum) Source: O2 Class: 28</p>	<p>venustum fma. aureum</p>  <p>Section: Barbata (Barbatum) Source: O2 Class: 28</p>








Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>venustum fma. measuresianum</p>  <p>Section: Barbata (Barbatum) Source: P7, P8, S1 Class: 28</p>	<p>venustum fma. pardinum</p>  <p>Section: Barbata (Barbatum) Source: P7, P8 Class: 28</p>	<p>venustum var. atratum</p> <p>Section: Barbata (Barbatum) Source: A Class: 28</p>	<p>venustum var. bhutanensis</p>  <p>Section: Barbata (Barbatum) Source: P8 Class: 28 = venustum</p>	<p>venustum var. bhutanensis</p> <p>Section: Barbata (Barbatum) Source: P8 Class: 28 = venustum</p>	<p>venustum var. bruneoviridis</p> <p>Section: Barbata (Barbatum) Source: A Class: 28</p>
<p>venustum var. pynurslanum</p> <p>Section: Barbata (Barbatum) Source: A Class: 28</p>	<p>venustum var. qingyongii</p> <p>Section: Barbata (Barbatum) Source: A Class: 28</p>	<p>venustum var. rubrum</p>  <p>Section: Barbata (Barbatum) Source: P8 Class: 28 = venustum</p>	<p>venustum var. teestanensis</p>  <p>Section: Barbata (Barbatum) Source: P8 Class: 28 = venustum</p>	<p>victoria-mariae</p>  <p>Section: Cochlopetalum Source: B2, B3, C, H, K, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 29a</p>	<p>victoria-regina</p>  <p>Section: Cochlopetalum Source: B2, C, H, K, K1, K2, O1, P1, P2, P4, P5 Class: 29a syn: chamberlainianum</p>









Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>victoria-regina var. kalinae</p>  <p>Section: Cochlopetalum Source: K2, K3 Class: 29a = kalinae</p>	<p>x vietnryanum</p>  <p>Section: -- Source: P1, P2, P3, P4, P5, P6, P8, T, T2 Class: 30-37 = gratrixianum x henryanum</p>	<p>vietnamense</p>  <p>Section: Parvisepalum Source: B3, O, K, K2, K3, O1, P1, P2, P3, P4, P5, P7, P8, T2 Class: 27 = hilmari, mirabile</p>	<p>vietnamense fma. album</p>  <p>Section: Parvisepalum Source: P8, S1 Class: 27</p>	<p>villosum</p>  <p>Section: Paphiopedilum (Insigne) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28 syn: annamense, villosum var. annamense</p>	<p>villosum fma. aureum</p>  <p>Section: Paphiopedilum (Insigne) Source: P8 Class: 28</p>
<p>villosum fma. fuscoroseum</p> <p>Section: Paphiopedilum (Insigne) Source: P8 Class: 28</p>	<p>villosum fma. measuresianum</p> <p>Section: Paphiopedilum (Insigne) Source: Class: 28</p>	<p>villosum var. albo-marginatum</p>  <p>Section: Paphiopedilum (Insigne) Source: O2 Class: 28</p>	<p>villosum var. annamense</p>  <p>Section: Paphiopedilum (Insigne) Source: K2, K3, P1, P2, P7, P8, S1 Class: 28</p>	<p>villosum var. boxallii</p>  <p>Section: Paphiopedilum (Insigne) Source: O1, P1, P2, P8 Class: 28</p>	<p>villosum var. fuscoroseum</p>  <p>Section: Paphiopedilum (Insigne) Source: P8 Class: 28 = villosum</p>












Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>villosum var. fuscoviride</p>  <p>Section: Paphiopedilum (Insigne) Source: P8 Class: 28 = villosum</p>	<p>villosum var. laichaunum</p> <p>Section: Paphiopedilum (Insigne) Source: Class: 28</p>	<p>villosum var. villosum</p> <p>Section: Paphiopedilum (Insigne) Source: Class: 28</p>	<p>viniferum</p>  <p>Section: Barbata (Barbatum) Source: K, K2, K3, P3, P5 Class: 28 = crossii f. viniferum and callosum var. viniferum</p>	<p>violascens</p>  <p>Section: Barbata (Barbatum) Source: B, B2, B3, C, C1, H, K, K2, K3, O1, P1, P2, P4, P5, P8 Class: 28</p>	<p>violascens var. bougainvilleanum</p>  <p>Section: Barbata (Barbatum) Source: K2, K3 Class: 28 = bougainvilleanum</p>
<p>violascens var. gautierense</p> <p>Section: Barbata (Barbatum) Source: K2 Class: 28 = violascens</p>	<p>violascens var. saskianum</p>  <p>Section: Barbata (Barbatum) Source: K2, K3 Class: 28 = bougainvilleanum var. saskianum</p>	<p>virens</p>  <p>Section: Barbata (Barbatum) Source: B2, C, C1, H, K1 Class: 28 = javanicum var. virens</p>	<p>vittatum</p> <p>Section: Source: W1 Class: -- = Phragmipedium vittatum</p>	<p>volonteanum</p>  <p>Section: Barbata (Barbatum) Source: B2, B3, C, C1, H, O1, P7 Class: 28 = hookerae var. volonteanum</p>	<p>volonteanum fma. sandowii</p> <p>Section: Barbata (Barbatum) Source: P7 Class: 28</p>


Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>wallisii</p>  <p>Section: Source: W1 Class: -- = Phragmipedium warszewiczianum</p>	<p>wardii</p>  <p>Section: Barbata (Barbatum) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28</p>	<p>wardii fma. alba</p>  <p>Section: Barbata (Barbatum) Source: O2 Class: 28</p>	<p>wardii fma. alboviride</p>  <p>Section: Barbata (Barbatum) Source: P7, P8, S1 Class: 28</p>	<p>wardii fma. album</p>  <p>Section: Barbata (Barbatum) Source: O2 Class: 28</p>	<p>wardii fma. atrobrunneum</p>  <p>Section: Barbata (Barbatum) Source: K3 Class: 28</p>
<p>wardii fma. ying-xiangii</p> <p>Section: Barbata (Barbatum) Source: P8 Class: 28 = wardii</p>	<p>wardii var. teestaensis</p>  <p>Section: Barbata (Barbatum) Source: P7, P8, S1 Class: 28</p>	<p>warszewiczii</p> <p>Section: Source: W1 Class: -- = Phragmipedium warszewiczianum</p>	<p>warszewiczianum</p> <p>Section: Source: W1 Class: -- = Phragmipedium warszewiczianum</p>	<p>warszewiczii</p> <p>Section: Source: I1 Class: -- = Phragmipedium warszewiczianum</p>	<p>wenshanense</p>  <p>Section: Brachypetalum (Concoloria) Source: K3, O6, P3, P4, P5, T2 Class: 27 See: x wenshanense Now considered a good species by CITES and KEW WCSP</p>

Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>x wenshanense</p>  <p>Section: -- Source: K, O1, P1, P2, P8, S1, T Class: 30-37 = x concolor-bellatulum</p>	<p>x wenshanense fma. album</p>  <p>Section: -- Source: P8 Class: 30-37 = bellatulum x concolor</p>	<p>wentworthianum</p>  <p>Section: Barbata (Barbatum) Source: B, B2, B3, C, C1, H, K, K1, K2, K3, O1, P1, P2, P4, P5, P7, P8 Class: 28</p>	<p>wilhelminae</p>  <p>Section: Coryopedilum - Polyantha Source: W1, K2, K3, P2, P4, P5, P7, P8 Class: 29 = praestans subsp. wilhelminiae, glanduliferum var. wilhelminiae, gardineri</p>	<p>wilhelminiae</p>  <p>Section: Coryopedilum - Polyantha Source: B2, B3, C, C1, H, K, O1, P1 Class: 29 = praestans subsp. wilhelminiae, glanduliferum var. wilhelminiae</p>	<p>wolterianum</p>  <p>Section: Barbata (Barbatum) Source: B2, C, C1, H, K, K1, O1 Class: 28 = appletonianum</p>
<p>x wuliangshanicum</p>  <p>Section: -- Source: P8 Class: 30-37 = gratrixianum x stenolomum</p>	<p>xerophyticum</p> <p>Section: -- Source: W1 Class: -- = Mexipedium xerophyticum</p>	<p>yapianum</p>  <p>Section: Cochlopetalum Source: W, H Class: 29a = Jogjae (glaucophyllum x glanduliferum)</p>	<p>x yingjiangense</p>  <p>Section: -- Source: P4, P5, P6, P8, T Class: 30-37 = villosum x wardii or spicerianum x wardii</p>	<p>x yunnanicum</p>  <p>Section: -- see x affine Source: P8, W1 Class: 30-37 = x cribbii</p>	<p>zieckianum</p>  <p>Section: Barbata (Barbatum) Source: B2, C, C1, O1, P8 Class: 28 = papuanum</p>

Paphiopedilum Species (as of March 1, 2025) - Class Finder

<p>zulhermanianum</p>  <p>Section: Barbata (Barbatum) Source: K3, O3, O5 Class: 28</p>					

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Sources

B	Dr. G.J. Braem	The Genus Paphiopedilum - Natural History And Cultivation - Vol. 1 & Vol. 2 - 1998/99
B1	Lance A. Birk	The Paphiopedilum Grower's Manual - 1983
B2	Keith S. Bennett	Genus Paphiopedilum – The Tropical Asiatic Slipper Orchids - 1984
B3	Braem & Chiron	Paphiopedilum - 2003
B4		http://www.biolib.cz/en/taxonsubtaxa/id99977/?subtaxcat=51
C	Phillip Cribb	The Genus Paphiopedilum - Second Edition - 1998
C1	Catherine Cash	The Slipper Orchids - 1991
C2	Phillip Cribb	Slipper Orchids Of Borneo - 1997
C3	Jim Cootes	The Orchids of The Philippines
G	Olaf Gruss	http://kbd.kew.org/kbd/detailedresult.do?id=324178
H	E. Hennessy & T. Hedge	The Slipper Orchids - 1989
I	Leonid Avaryanov	http://www.ruffordsmallgrants.org/rsg/projects/leonid_averyanov
I1	IPNI	International Plant Names Index
K	H. Koopowitz	Tropical Slipper Orchids – Paphiopedilum and Phragmipedium Species and Hybrids - 2008
K1	H. Koopowitz & N. Hasegawa	Novelty Slipper Orchids - 1989
K2	H. Koopowitz	An updated, Annotated Checklist of The Genus Paphiopedilum – Orchid Digest Vol. 76-4 Oct.-Dec. 2012
K3	H. Koopowitz	An Annotated Checklist of Paphiopedilum Species – Orchid Digest Vol. 82-4 Oct.-Dec. 2018
O	L.V. Averyanov	Orchid Digest - Vol. 65(4) - Oct., Nov., Dec., 2001
O1	Oakeley and Bream	Paphiopedilum Species The Essential Guide - 2011
O2		OrchidWiz
O3	Olaf Gruss et al	Orchid Digest - Vol. 81(3) - Jul., Aug., Sep., 2017 pgs 132-138
O4	Olaf Gruss	Orchid Digest - Vol. 81(3) - Jul., Aug., Sep., 2017 pgs 160-173
O5	Cavestro & Gruss	Orchideen Journal – Vol. 5-3 - 2017
O6	Andre Schuiteman	Orchid Digest - Vol. 82(4) - Oct., Nov., Dec., 2018 pgs 244-248
P	Alex Pridgeon	The Illustrated Encyclopedia of Orchids - 1992
P1		http://hoalancaycanh.com/diendan/archive/index.php/t-4358.html
P2		http://agusorchids.blogspot.ca/2011/06/paphiopedilum.html
P3		http://apoc12.com/file/contest_th.pdf
P4		http://www.theplantlist.org/browse/A/Orchidaceae/Paphiopedilum/
P5		http://globalspecies.org/ntaxa/112815
P6		http://www.biolib.cz/en/taxonsubtaxa/id99977/?subtaxcat=51
P7		http://www.slipperorchids.info/taxonomy/bctaxa.html
P8		http://slipperorchids.info/paphdescriptions/index.html
P9	Piping Rock	http://www.pipingrockorchids.com/paphiopedilum-species/index.php
P10		http://www.orchid.or.jp/orchid/people/tanaka/Special/album/aldex.html

Paphiopedilum Species (as of March 1, 2025) - Class Finder

R	R.N. Rentoul	Growing Orchids – Cymbidiums and Slippers, 1980
S1		http://slipperorchids.info/paphspecies/index.html
T	Holger Perner	Paphiopedilum Taxa of China, AOS Orchids, January 2012, page 18
T2	Dr. Tanaka	Website: http://www.orchid.or.jp/orchid/people/tanaka/orchid/org/newpaph.html
W	Wellington O.S.	Paphiopedilums - A Cultural Guide – 1987
W1	RBG – KEW	World Checklist of Selected Plant Families


Paphiopedilum Species (as of March 1, 2025) - Class Finder

London Orchid Society - Show Schedule - Paphiopedilum Class Descriptions	
	27 – 29a - Paphiopedilum species
27	Paphiopedilum species - Parvisepalum, Brachypetalum (Concoloria) , and Pumilum sections
28	Paphiopedilum species - Paphiopedilum (Insigne) and Barbatum sections
29	Paphiopedilum species - Coryopedilum and Pardalopetalum sections (multifloral)
29a	Paphiopedilum species - Cochlopetalum section (sequentially flowering)
	30 – 37 - Paphiopedilum hybrids
30	Parvisepalum, Brachypetalum (Concoloria) , and Pumilum hybrids
31	Maudiae, or cruciform type white/pink/green/yellow
32	Maudiae or cruciform type other colours
33	Multifloral
34	Sequential flowering
35	Full round shape, white/pink/green/yellow
36	Full round shape, other colours
37	Vinicolours

Paphiopedilum Species (as of March 1, 2025) - Class Finder

From: <http://www.slippertalk.com/forum/showthread.php?t=27013>

Note: The following charts may not contain every species in a particular Subgenus group. They do serve as examples of some of the species in each Subgenus at a point of time in the past.



Paphiopedilum Species (as of March 1, 2025) - Class Finder

Subgenus *Cochlopetalum*



glaucophyllum



chamberlainianum



moquetteanum



liemianum



primulinum



victoria-mariae not shown

Paphiopedilum Species (as of March 1, 2025) - Class Finder

Subgenus *Brachypetalum*



concolor



var. longipetalum



niveum



godefroyae




leucochilum




bellatulum

Paphiopedilum Species (as of March 1, 2025) - Class Finder



Paphiopedilum Species (as of March 1, 2025) - Class Finder



Paphiopedilum Species (as of March 1, 2025) - Class Finder

Subgenus *Polyantha*



lowii



richardianum



haynaldianum



dianthum



parishii



gigantifolium



supardii



kolopakingii



stonei



philippinense



roebelenii



wilhelminiae



praestans



sanderianum



rothschildianum

not shown: adductum, anitum, ooii, platyphyllum, randsii